Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

Su pareja sexual le acaba de decir que le han diagnosticado/a con clamidia.

- Esta infección es transmitida por el sexo vaginal, oral, y anal.
- Puede estar infectado/a y no tener síntomas.
- Sin tratamiento, esta infección puede causar serias complicaciones.

Hágase la prueba y reciba tratamiento
Lleve esta tarjeta a su médico, clínica,
o a una clínica de ETS del Condado de Los Ángeles hoy.

Para más información, referencias a clínica, o condones gratis, llame a la línea informativa de ETS **1-800-758-0880** o visite **GetProtectedLA.com**.

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022

For doctor or nurse:

The person with this card has been exposed to chlamydia.
The CDC recommends sexual contacts to chlamydia be treated presumptively with:

Doxycycline 100 mg orally twice a day for 7 days

- OR -

Azithromycin 1 g orally in single dose

Testing for gonorrhea, syphilis, and HIV is also recommended.

For completed CDC treatment guidelines and other STD information, visit www.publichealth.lacounty.gov/dhsp/InfoForProviders.htm

County of Los Angeles Public Health

Revised: 03/2022