
Bellflower Health District No. 6



Rank

Average infections *per infected person*²

Average infections *per year per square mile*² 10.22

ALL HIV & STD INCIDENTS ³		
Rate Per 100,000 Person-Years		Los
		Angeles
	Rate	County (LAC) Rate
HIV, 2010-2014	11	19
Syphilis, 2010-2014	16	32
Gonorrhea, 2010-2014	67	112
Chlamydia, 2010-2014 ⁴	410	461

of infected persons

HIV & STD BURDEN BY INF	ECTION/		
CO-INFECTION, 2010-2014			76.6%
			(CT Only)
			23.4%
	16.4%		All Others*
	CT		All Others
	CI		
			1.0%
		6.1%	BHIV/GC/
38.0% GC		HIV	_ CT
38.0% GC			
			2.70/
			3.7%
			BHIV/SY
			3.2%
			3.1% BHIV/GC
		E E	BHIV/CT
7.5%	14.8%		_1.1%
SY	GC/CT		AHIV/GC
	22,0.	0.3% \	aniv/GC
		SY/CT \	_0.9%
			AHIV/CT

*Residents with a HIV, Syphilis, Gonorrhea or high risk Chlamydia incident in 2010-2014. Residents with only Chlamydia incidents are excluded from the larger pie chart and data shown "among infected persons".

INFECTION CHARACTERISTICS AMONG INFECTED PERSONS²

	N	% of LAC Total
Infections & Co-		
infections ⁵	1,992	2.1%
	N	% of LAC Total

	N	% of LAC Total
Incidents Represented ³		
HIV Incidents	197	2.0%
Syphilis Incidents	282	1.7%
Gonorrhea Incidents	1,200	2.2%
Chlamydia Incidents	761	2.1%

ACRONYMS

SY = Syphilis CT = Chlamydia GC = Gonorrhea PLWH (+ STD) = Persons living with HIV who had an STD in 2010-2014 or were diagnosed with HIV in 2010-2014

AHIV = Acquired HIV 30 days or more after STD infection BHIV = Acquired HIV 30 days or more **before** STD infection WHIV = HIV co-infected at time of STD infection (within +/- 30 days) LAC = Los Angeles County

% of LAC = (# in Health District w/characteristic ÷ Total LAC) LAC % = (# in LAC w/characteristic ÷ Total LAC)

PLWH (+ STD):

RESIDENT CHARACTERISTICS AMONG INFECTED PERSONS²

	N	% of LAC Total
Residents Represented ⁶	1,388	2.2%
Residents Represented ⁶	1,388	2.2%

			LAC
	N	%	%
Current Gender ⁷			
Male	912	65.7%	69.7%
Female	473	34.1%	29.9%
Transgender	<5	-	0.3%
Transgender M-F	<5	-	0.2%
Transgender F-M	<5	-	0.0%
		0/	LAC
	N	%	%
Race/Ethnicity ⁷			
White	224	16.1%	20.8%
African American	353	25.4%	29.5%
Latino	605	43.6%	38.1%
Asian	87	6.3%	11.6%
AI/AN ⁸	7	0.5%	3.5%
NHOPI ⁸	10	0.7%	0.3%
		.,	LAC
01.10.11	N	%	%
Select Populations			
MSM/MSMW	452	32.6%	38.4%
Youth (15-19 years) ⁹	196	14.1%	13.4%
Youth (15-24 years)9	584	42.1%	38.3%
Pregnant ⁹	65	4.7%	4.4%
			LAC
	N	%	%
Syphilis Stage (if any)9			
Early Syphilis ¹⁰	161	11.6%	14.0%
Congenital Syphilis	1	0.1%	0.1%
		_	

Data Source: LAC/DPH HIV and STD Surveillance (as of 9/26/16), Long Beach Health and Human Services STD Surveillance (as of 7/1/15), Pasadena Health Department STD Surveillance (as of 6/9/16), LAC/DPH OHAE [Health District boundaries], Los Angeles Times [LA Times Neighborhood boundaries]. 2010-2014 population estimates and 2014 population demographics provided by LAC/ISD & contracted through Hedderson Demographic Services. Data Creation and Cartography: Program Evaluation & Data Management, Division of HIV and STD Programs, LAC/DPH



RESIDENT CHARACTERISTIC PERSONS ²	S AWONG II	NECIED		RESIDENT CHARACTERISTICS AMONG INFECTED PERSONS ²				
			LAC					LAC
	N	%	%			N	%	%
Recurrent STD Infections					Infection & Co-infection Combinations ^{5,9,11}			
Syphilis (SY)					Acquired HIV Infection Aft	ter STD		
1 incident	242	17.4%	19.5%		SY, GC, CT	0	0.0%	0.0
2 incidents	14	1.0%	2.2%		SY, GC	0	0.0%	0.1
3 incidents	1	0.1%	0.4%		SY, CT	1	0.1%	0.1
4 or more	2	0.1%	0.1%		GC, CT	7	0.5%	0.5
Gonorrhea (GC)					Syphilis (SY)	9	0.6%	0.5
1 incident	918	66.1%	59.6%		Gonorrhea (GC)	17	1.2%	1.1
2 incidents	94	6.8%	8.1%		Chlamydia (CT)	14	1.0%	1.0
3 incidents	20	1.4%	2.0%		No HIV Infection			
4 or more	8	0.6%	1.2%		SY, GC, CT	2	0.1%	0.2
Chlamydia (CT)					SY, GC	10	0.7%	0.6
1 incident	347	25.0%	25.6%		SY, CT	6	0.4%	0.7
2 incidents	111	8.0%	8.0%		GC, CT	281	20.2%	18.4
3 incidents	37	2.7%	3.0%		Syphilis (SY)	146	10.5%	10.6
4 or more	17	1.2%	1.7%		Gonorrhea (GC)	702	50.6%	46.0
					Chlamydia (CT)	224	16.1%	15.4
			LAC	1	Rank is based on results from the	ha hat spat an	alvece the num	hor of
	N	%	%		infections and number of peop			
Infection & Co-infection					risk Chlamydia incident during	the 2010-2014	period, relative	e to the
Combinations ^{5,9,11}					other health districts. It adjusts			
HIV Infection Only	122	8.8%	9.3%	2	Residents with only Chlamydia	incidents are e	excluded for all of	data show
Co-Infected w/HIV				3	"among infected persons". Consists of reported incidents of	Juring the 201	0-2014 neriod w	/ithout
SY, GC, CT	0	0.0%	0.1%		regard to other co-infections.	adming the Zor	zori period i	ricrioac
SY, GC	4	0.3%	0.1%	4	Residents with only Chlamydia	incidents are i	ncluded in the r	ate
SY, CT	1	0.1%	0.1%	,	calculation.			
GC, CT	9	0.5%	0.3%	,	Co-infection is defined as occur	ring within +/-	30 days of the	HIV or ST
GC, CT Syphilis (SY)	9 12	0.5% 0.6%	0.3% 1.0%		incident.			
· ·								
Syphilis (SY)	12	0.6%	1.0%	6	incident. Resident status is determined b sources. Percentages may not add up to	by the latest ac	ldress on file ac	ross all da
Syphilis (SY) Gonorrhea (GC)	12 7 4	0.6% 0.4%	1.0% 0.6%	6	incident. Resident status is determined be sources. Percentages may not add up to unknown/missing values. Data	by the latest ac	ldress on file ac	ross all da
Syphilis (SY) Gonorrhea (GC) Chlamydia (CT)	12 7 4	0.6% 0.4%	1.0% 0.6%	6	incident. Resident status is determined be sources. Percentages may not add up to unknown/missing values. Data 2014 population < 500.	oy the latest ac 100% due to r are suppressed	ldress on file ac rounding or excl d for <5 persons	ross all da usion of and/or
Syphilis (SY) Gonorrhea (GC) Chlamydia (CT) Acquired HIV Infection <u>Be</u>	12 7 4 <u>efore</u> STD	0.6% 0.4% 0.2%	1.0% 0.6% 0.6%	6	incident. Resident status is determined be sources. Percentages may not add up to unknown/missing values. Data	oy the latest ac 100% due to r are suppressed	ldress on file ac rounding or excl d for <5 persons	ross all da usion of and/or
Syphilis (SY) Gonorrhea (GC) Chlamydia (CT) Acquired HIV Infection <u>Be</u> SY, GC, CT SY, GC	12 7 4 e fore STD 4	0.6% 0.4% 0.2% 0.3%	1.0% 0.6% 0.6%	6 7 8	incident. Resident status is determined be sources. Percentages may not add up to unknown/missing values. Data 2014 population < 500. AI/AN = American Indian/Alask	oy the latest ac 100% due to i are suppressed an Native. NHO	Idress on file ac counding or excl d for <5 persons DPI = Native Hav	ross all da usion of and/or
Syphilis (SY) Gonorrhea (GC) Chlamydia (CT) Acquired HIV Infection <u>Be</u> SY, GC, CT	12 7 4 efore STD 4 2	0.6% 0.4% 0.2% 0.3% 0.1%	1.0% 0.6% 0.6% 0.3% 0.5%	6 7 8	incident. Resident status is determined be sources. Percentages may not add up to unknown/missing values. Data 2014 population < 500. AI/AN = American Indian/Alask. Pacific Islander. Defined as 'ever reported' durit Early Syphilis includes all cases	oy the latest ac 100% due to I are suppressed an Native. NHO	Idress on file ac counding or excl d for <5 persons DPI = Native Hav 214 period.	ross all da usion of and/or waiian/Ot
Syphilis (SY) Gonorrhea (GC) Chlamydia (CT) Acquired HIV Infection <u>Be</u> SY, GC, CT SY, GC SY, CT GC, CT	12 7 4 !fore STD 4 2 7	0.6% 0.4% 0.2% 0.3% 0.1% 0.5% 1.3%	1.0% 0.6% 0.6% 0.3% 0.5% 0.6% 2.3%	6 7 8 9 10	incident. Resident status is determined be sources. Percentages may not add up to unknown/missing values. Data 2014 population < 500. Al/AN = American Indian/Alask Pacific Islander. Defined as 'ever reported' durit Early Syphilis includes all cases latent.	oy the latest ac 100% due to nare suppressed an Native. NHO ng the 2010-20 staged as prim	Idress on file ac counding or excl d for <5 persons OPI = Native Hav 014 period. hary, secondary,	usion of and/or waiian/Ot
Syphilis (SY) Gonorrhea (GC) Chlamydia (CT) Acquired HIV Infection Be SY, GC, CT SY, GC SY, CT	12 7 4 efore STD 4 2 7	0.6% 0.4% 0.2% 0.3% 0.1% 0.5%	1.0% 0.6% 0.6% 0.3% 0.5% 0.6%	6 7 8 9 10	incident. Resident status is determined be sources. Percentages may not add up to unknown/missing values. Data 2014 population < 500. AI/AN = American Indian/Alask. Pacific Islander. Defined as 'ever reported' durit Early Syphilis includes all cases	oy the latest ac 100% due to nare suppressed an Native. NHO ng the 2010-20 staged as prim	Idress on file ac counding or excl d for <5 persons OPI = Native Hav 014 period. hary, secondary,	usion of and/or waiian/Ot

POPULATION DEMOGRAP	PHICS, 2014		
	N	%	LAC %
Sex			
Male	175,712	49.0%	49.3%
Female	182,894	51.0%	50.7%
			LAC
	N	%	%
Age			
0-12	59,818	16.7%	16.6%
13-19	37,030	10.3%	9.7%
20-29	54,576	15.2%	15.3%
30-39	46,844	13.1%	14.4%
40-49	49,032	13.7%	14.0%
50-59	47,384	13.2%	13.0%
60+	63,922	17.8%	17.0%
			LAC
	N	%	%
Race/Ethnicity			
White	77,955	21.7%	28.4%
African American	29,310	8.2%	8.6%
Latino	168,173	46.9%	48.2%
Asian	80,100	22.3%	14.4%
AI/AN	961	0.3%	0.2%
NHOPI	2,107	0.6%	0.2%
			LAC
	N	%	%
Poverty Level			
100% FPL	41,775	11.6%	18.1%
130% FPL	65,234	18.2%	25.8%
133% FPL	66,691	18.6%	26.4%
200% FPL	110,182	30.7%	40.4%
			LAC
	N	%	%
Insurance Status			
Medi-Cal Eligible			
↓ 200% FPL ¹²	25,937	23.5%	10.1%
Medically Uninsured	61,831	17.2%	17.6%

