

## **EBOLA VIRUS DISEASE EXPOSURE RISK ASSESSMENT FORM**



Acute Communicable Disease Control 313 N. Figueroa St., Rm. 212 Los Angeles, CA 90012 213-240-7941 (phone), 213-482-4856 (facsimile) publichealth.lacounty.gov/acd/

Fax the completed form to: Acute Communicable Disease Control (ACDC) Fax 213-202-5999

The purpose of this tool is to:

- 1) Assess for Ebola Virus Disease (EVD) symptoms AND
- 2) Assess for potential exposure risk to an EVD case in the United States OR while traveling in an Affected Area with widespread EVD transmission within the past 21 days (See Affected Areas in Important Terms section X.)

These questions will help determine the EVD risk exposure category: HIGH, SOME, LOW, OR NO IDENTIFIABLE RISK.

Depending upon the risk, the named contact may be required to be monitored by LAC DPH for fever and EVD symptoms for 21 days following the last date

		INFORMATION											
Contact Name-Last First			Middle Initial			Initial	Date of birth		Age	Sex: Male			
Addres	ss- Nur	mber, Street, Apt #		City			State	ZIP Code Census to		act Pregnant?□ Yes □ N Due date:			
		dress a congregate setting?  Yes	No U	Inknown		•			Yes 🗆	No U	nknown		
	nes, ra	cility name			II TES	s, Speci	ly specie	s and m	umber				
Home		)	)	) Cell ( )									
	`	ress (if less than 1 month at current ad	City	City				State/Area/Region ZIP Code					
			•	,									
Occup	ation			Country	Country of Permanent Residence				Primary La	Translator needed?			
Work/s	school I	location and address						Work/	school teleph	none	•		
_ `	ation s	etting: Childcare/School al Facility Institution (Corrections	Food Service						al Services Other.	Labora	atory		
Who is	provid	_	] Contact	Other:									
		_			onship to								
II. SY	MPTO	MS											
Do you	ı currei	ntly have the following symptoms?	If any check	ed, specify	earliest	onset da	ate	_/	/				
Yes	No	Symptoms			Yes	No	Symp	toms					
		Fever: Highest Feve	er onset:/_	/			Unexp	Inexplained hemorrhage (bleeding/bruising)					
		Headache (severe)					Muscle	Muscle pain (myalgia)					
		Abdominal pain					Weakn	Veakness/Fatigue					
		Diarrhea					Other:						
	□ Vomiting Specify						· · · · · · · · · · · · · · · · · · ·						
III. AS	SESS	MENT CATEGORY AND FOR	RM INSTRUC	TIONS									
Did yo	u have	potential exposure to the following	ng?										
		☐ A confirmed or suspect case of	EVD in the Un	ited States	(US)	(Only sl	kip Trave	l sectior	V. but comp	lete rest of	form)		
	[	☐ Traveling in the EVD Affected A	Areas (Guinea ar	nd Sierra Le	one) (S	Start at	Travel se	ection V.	and complet	e rest of for	rm.)		
IV. EX	(POSI	JRE TO KNOWN CASE IN US									<u>.</u>		
	Kn	own EVD patient name (Last, First	):					CMR II	O # (if applica	ble) :			
	Cu	rrent Case Status:   Confirmed	I ☐ Suspec	t 🔲 Unl	known								
	Sy	ymptom onset date:/_	Isolat	ion date: _	/	/	Da	ite of de	ath (if applica	ıble):/			
1. Wha	at is the	e person's relationship to the EVD	patient?	] Househol	d membe	er 🔲	Healthca	are work	er 🗌 EMS	S ☐ Frie	end		
		☐ Work/School ☐ Sha	ared transporta	ation [	Other:	Specify.							
2. Did		rson have exposure with the know											
	If Yes	s, What was the <b>FIRST</b> and <b>LAST</b>	date of exposu	re with the	known E	VD pati	ent? Fire	st:	_//	Last	:/		
(Only	skip Tr	ravel section V.& complete rest of f	orm)										

V. TR	AVEL										
3. <b>Did</b>	the pe	rson travel to the Ebola	a Virus Disease (EV	D) Affected Areas (Guinea	and Sierra Leone)?	☐ Yes ☐ No ☐ Ur	ıknown				
If	Yes, La	st date in the Ebola Viru	s Disease (EVD) Aff	ected Area(s)?	/						
	Affec	eted Area(s) visited:	Guinea 🔲 Sierra L	eone							
	Reas	_		☐ Visiting family ☐ Perman			Agency				
	Tyne	<del></del>		Relative/friend's home [							
			-			Other.					
		Specify the person's travel itinerary to and/or from the Affected Area(s) below.									
	(C	eparture From ountry, City/Region)	Departure Date	Destination (Country, City/Region)	Arrival Date	Airline	Flight No.				
4 D:4	46-2-2-2			from the Affected Areas	│ □ Vaa □ □ N	Unknown					
4. DIQ		•	·	from the Affected Areas?							
				La	ast date of exposur	e:/	_				
- 14/		Type of animal.  Ba									
5. Wa		· ·	vas sick with EVD sy	mptoms (signs of fever, vomiting	g, diarrhea, OR unexp	plained bleeding)?	∐ No ∐ Unknown				
		Explain.									
		HOLD EXPOSURE	hold with a suspe	ct or known EVD patient wh	ilo thoy wore sym	untomatic?	No. D. Haknowa				
		kip to next Healthcare Ex		ct of known Evb patient wi	ille tiley were syll	ptomatic: 1 res 1	NO DIMINOWII				
,	-	•	•	in Affected Areas (Guinea	Siorra Loono)						
"		ist date of household exp			i, Sierra Leorie)						
7 Did											
		son do any of the followir	ig. (Check all that ap	opiy)							
Yes	No 🗆	Attend to the notion to direct core in a household cetting /hethe feed help to hethroom etc.)									
		Attend to the patient's direct care in a household setting (bathe, feed, help to bathroom, etc.)  Attend to the patient's indirect care in a household setting (laundry, wash dishes, clean patient's room)									
		'		<u> </u>	<u>.</u>	5 100111)					
<u> </u>		•	senoia (no direct or	indirect care) only. If Yes, D	escride visit						
		HCARE EXPOSURE			N	□ Hala - /// Na - alda (a ma					
8. Dia	_		nealthcare facility of	or other healthcare setting?	' ∐ Yes ∐ No	☐ Unk (IT NO, SKIP to ne.	xt Funeral Section VIII.)				
	-	Specify facility/setting		10. Tie Affected Areas (0.							
Where was the healthcare exposure?  in US in Affected Areas (Guinea, Sierra Leone)											
Was the facility an Ebola Treatment Unit (ETU)? ☐ Yes ☐ No ☐ Unk If Yes, what zone(s) did you enter?: ☐ Red ☐ Yellow ☐ Green											
	Specify date(s) of last exposure in each zone.										
	First and Last date of healthcare exposure? First:/Last:/										
	Ongoing exposure (ex. US HCW to an EVD patient)?										
Work title (if applicable): ☐ Physician ☐ Nurse ☐ Lab personnel ☐ Emergency Medical Service ☐ Observer											
Other: Specify  Nature of visit/work:											
				y/setting? ☐ Yes ☐ N							
9. Did	the per		wing types of expos	ures to a suspect or known E	EVD patient while th	ey were symptomatic? (Ci	heck all that apply.)				
Yes	No	Exposure									
		Provide direct care to a suspect or known EVD patient in a hospital/outpatient setting (physician, nurse, EMS, etc)									
		Perform laboratory services (phlebotomy, other sample collection, laboratory testing, etc.)									
		Perform custodial services (launder linens, disinfect equipment, clean an EVD patient's room)									
		Attend to an EVD patient's food service needs (deliver food tray to room, pick up food tray, etc.)									
		Perform an autopsy, surgery, or other medical examination									

Contact name (last, first) \_

Date of Birth \_

Conta	ct name	(last, first) Date of Birth								
VII. H	EALTH	CARE EXPOSURE (CONTINUED)								
wea	aring pers	son have exposure to blood or other body fluid(s) from a suspect or known EVD patient while they had symptoms? (include exposures while on protective equipment [PPE])								
	Wha	body fluid(s) was the person exposed to? (Check all that apply)								
		□ Blood       □ Saliva       □ Tears       □ Vaginal fluid       Other: Specify.         □ Vomitus       □ Sweat       □ Breast milk       □ Respiratory/Nasal secretion         □ Stool       □ Urine       □ Semen       □ Cerebral spinal								
11. Di	d the pe	son use personal protective equipment (PPE)?								
lf	Yes, Sp	ecify type of PPE used? (Check all that apply)								
		Ingle glove								
	Was	the following witnessed? Donning of PPE								
	Did t	ne person wear the same PPE items for every single encounter with the EVD patient?								
	li	No, Which items were not worn consistently?								
	Desc	ribe any contact the person had without PPE or any breaks in PPE.								
12. W		the person's type of exposure with the body fluids? (Check all that apply)								
	Contact with appropriate PPE only Contact with intact skin Contact with broken skin (fresh cut, burn, abrasion that had not dried) Contact with mucous membranes (splashes to eyes, nose, mouth, etc.) Contact via a needle stick (percutaneous) Other: Specify.									
VIII. F	UNER	AL EXPOSURE								
	-	rson attend or participate in a funeral or funeral preparations for a suspect or known EVD patient? 🗌 Yes 🔲 No 🔲 Unknown								
(	lf No, sk	p to next Other Exposure section IX.)								
If		nere was funeral exposure?								
		st date of funeral exposure?								
14. Di	d the pe	rson do any of the following: (Check all that apply.)								
Yes	No	Exposure								
		Prepare, or help prepare, the body for funeral/burial services (e.g., wash, embalm, or dress the body)								
		Have other direct contact with the body during funeral/burial services								
	☐ ☐ Only attend funeral/burial services (no direct contact with the body)									
15. Was there direct exposure to the human remains without appropriate Personal Protective Equipment (PPE)? Yes No Unknown  Washing body Preparing body Other direct contact with body/fluids. Specify.										
IX. OTHER EXPOSURES										
		rson do any of the following with a suspect or known EVD patient while they were symptomatic? (Check all that apply.)								
Yes	No	Exposure  Share transportation: Plane Taxi Bus Other: Specify mode								
		Length of time (hours): Specify dates								
		Attend the same school/daycare class/office   If Yes, Last date exposed://								
		Close contact in households/healthcare facilities/community settings (see Important Terms section XIII.) Last date exposed://								
		Brief direct contact (e.g., shaking hands) with an EVD patient in the early stage of disease without appropriate PPE Last date exposed: / /								
		Brief proximity (e.g. being in the same room for a brief period of time) with a symptomatic EVD patient Last date exposed://								
		Other: Specify what and dates								

Contac	t name (	ast, first)			Date of Birth						
X. RISK CLASSIFICATION											
☐ <u>Hig</u> l	h risk - d	heck if includes	any of the following		* See I	ink for current information	on http://www.cdc.gov/vhf/eb	ola/outbreak	s/2014-west-africa/distribution-map.html.		
Percutaneous (e.g., needle stick) or mucous membrane exposure to blood or body fluids (including but not limited to feces, saliva, sweat,								urine, vomit, and semen) from a			
person with Ebola while the person was symptomatic.											
Direct contact without appropriate personal protective equipment (PPE) with a person with Ebola while the person was symptomatic or person's body fluids.									erson's body fluids.		
Lab processing of blood or body fluids from a person with Ebola while the person was symptomatic <b>without</b> appropriate PPE or standard biosafety precautions.									biosafety precautions.		
Direct contact with a dead body <b>without</b> appropriate PPE in a country with widespread transmission or a country with cases in urban settings with uncertain control											
measures*.											
Having provided direct care in a household setting to a person with Ebola while the person was symptomatic.											
Some risk - check if includes any of the following:											
☐ In countries with widespread transmission:											
- Direct contact while using appropriate PPE with a person with Ebola while the person was symptomatic or the person's body fluids											
	_	•	area of an Ebola treatm								
ПС	-	•	non-Ebola healthcare s	=	ac with a no	roon with Eholo whi	lo the person was sympt	omotio with	agut appropriate DDE		
	use conta		ntact-Important Terms s	=	-		le the person was sympt	Jillalic <b>Will</b>	iout appropriate FFE.		
	/ (hut no		neck if includes any o		_	d member, movv, or	oserver iii E10)				
			•	-		rhan settings with u	ncertain control measure	e or a com	ntry with former widespread		
	_	=	neasures* and having h	=		rbarr settings with a	icertain control measure	s, or a cour	may wan former widespread		
			•		•	using appropriate PF	PE with a person with Eb	ola while th	e person was symptomatic or the		
			the patient-care area of			aog appropriato : :	_ mar a person mar _s		o porcon mae cymptomade er anc		
					PPE, with a	person with Ebola v	while the person was in the	e early sta	ge of disease.		
		· -	<del>-</del>				in the same room (not in	-	=		
☐ La	b process	ing of blood or boo	dy fluids from a person	with Ebola while	person was	s symptomatic while	using appropriate PPE 8	standard I	biosafety precautions.		
☐ Tra	aveling or	an airplane with a	a person with Ebola who	o has symptoms	and having	had no identified "so	ome" or "high" risk expos	ures.			
☐ No i	identifia	ble risk									
☐ Lal	boratory p	rocessing Ebola-c	ontaining specimens in	a Biosafety Lev	el 4 facility.						
☐ Ar	ny contact	with an asymptom	natic person who had po	otential exposure	e to Ebola vi	rus.					
□ Co	ontact with	a person with Eb	ola before the person d	eveloped symptom	oms.						
☐ Ar	ny potentia	I exposure to Ebo	la virus that occurred m	ore than 21 day	s previously						
	-	=		· ·			ngs with uncertain contro	I measures	s, or former widespread		
			l control measures*, an	=	-	•					
		=	· ·	=		-	· · · · · · · · · · · · · · · · · · ·	read transi	mission or a country with cases in		
_	_		rol measures*, and hav	=		=	=	ua/ia Eb	ala auminara)		
		-		-	minea by pu	blic nealth authoritie	s to no longer be infection	us (i.e., Eb	iola survivors).		
AI. PU	BLIC I	Monitoring	ONS (For details	see b-/3)			Isolation/Quarar	Controlled movement			
			o Monitoring /faco to	o faco twico a	dayl						
High			e Monitoring (face-to				Yes Yes				
Some		☐ Direct Activ	e Monitoring (face-to	o-face once da	all per daily)	Yes No (Cas	e by case)	Yes No (Case by case)			
			e Monitoring (face-to								
Low		-US-based appropriate	healthcare workers carin	g for symptomation	No		No				
LOW			on an aircraft with, and si	tting within 3 feet	of, symptom	atic Ebola patient	INO		140		
		☐ Active Moni	toring for all others (	once a day by	phone)						
No		☐ No further f	ollow-up required				No		No		
	he perso	on have travel r	olans outside of LA	C durina thei	r dailv svi	nptom monitorin	ng period? 🗌 Yes 🔲 No		If Yes, Provide details.		
		ture From	Departure Date	Destination			Mode of Transpo		Carrier Name/Flight no.		
	(City/S	tate/Country)	•	(City/State/C	ountry)		(Airline, bus, private				
		nt refusing fol		nntom(s) sind	e having	evnosure (Symr	otoms section XIII.)	Mhara a	valuated?		
			er or other EVD syr	iiptoiii(s) siiit	e naving	exposure (Symp	noms section Am.)	Wilele e	valuateu :		
XII. INVESTIGATOR  Investigator's name (print)  Investigator's signature  Telephone number											
mvest	igator .	s name (print)	,		iiivosti,	gator 3 Signata		ГСІСРІ	iephone number		
Health	Distri	<u></u>			l.		Intervia		ew Date		
Health District								interview Date			
XIII. IN	/IPORT	ANT TERMS									
			in annrovimately 3 feet of	a nerson with Eh	ola while the	nerson was symptom	natic for a prolonged poriog	of time whi	le not using appropriate PPE.		
		s: Guinea and Sie		a person with Et	ola Willie IIIE	person was sympton	iano ioi a proiorigeu perioc	or unite Will	io not using appropriate FFE.		
ΕV	/D sympto	ns: 1) Fever (≥99		4) Weakness/Fati	gue 6)	Vomiting 8)	Unexplained hemorrhage (	bleeding or	bruising)		
2) Severe headache 5) Diarrhea 7) Abdominal pain Personal Protective Equipment (PPE): PPE used for standard, contact, and droplet precautions (e.g., gloves, impermeable gown, eye protection, facemasks, etc.)											
2. 30ui		1		, and and	, p. 000 att	(g., g.o.oo, imp		,	,,		