

<b><i>Serratia spp.</i></b> (n=2,676 isolates from 58 Hospitals)			
	<b>Susceptibility (Range)</b>	<b>Number of Isolates</b>	<b>Number of Hospitals</b>
<b>Piperacillin-Tazobactam</b>	<b>90.9%</b> (55-100%)	2,098	42
<b>Ceftriaxone</b>	<b>89.5%</b> (55-100%)	2,403	51
<b>Ceftazidime</b>	<b>91.2%</b> (36-100%)	2,188	47
<b>Cefepime</b>	<b>96.6%</b> (67-100%)	2,203	45
<b>Ertapenem</b>	<b>97.1%</b> (63-100%)	1,414	29
<b>Imipenem</b>	-	-	-
<b>Meropenem</b>	<b>98.3%</b> (92-100%)	1,579	30
<b>Amikacin</b>	<b>96.6%</b> (29-100%)	2,188	47
<b>Gentamicin</b>	<b>97.1%</b> (73-100%)	2,757	57
<b>Tobramycin</b>	<b>85.4%</b> (29-100%)	1,677	39
<b>Ciprofloxacin/Levofloxacin</b>	<b>88.1%</b> (33-100%)	2,646	57
<b>TMP/SMX</b>	<b>96.8%</b> (33%-100%)	2,544	56