

<b><i>Citrobacter freundii</i></b> (n=1,975 isolates from 43 Hospitals)			
	<b>Susceptibility (Range)</b>	<b>Number of Isolates</b>	<b>Number of Hospitals</b>
<b>Piperacillin-Tazobactam</b>	<b>87.1%</b> (63-100%)	1,823	44
<b>Ceftriaxone</b>	<b>82.1%</b> (56-100%)	1,869	46
<b>Ceftazidime</b>	<b>83.2%</b> (63-100%)	1,503	37
<b>Cefepime</b>	<b>98.2%</b> (90-100%)	1,713	39
<b>Ertapenem</b>	<b>99.0%</b> (90-100%)	1,156	24
<b>Imipenem</b>	-	-	-
<b>Meropenem</b>	<b>98.5%</b> (75-100%)	1,142	24
<b>Amikacin</b>	<b>99.8%</b> (85-100%)	1,536	38
<b>Gentamicin</b>	<b>92.0%</b> (72-100%)	1,924	48
<b>Tobramycin</b>	<b>92.9%</b> (69-100%)	1,138	33
<b>Ciprofloxacin/Levofloxacin</b>	<b>91.0%</b> (72-100%)	1,975	49
<b>TMP/SMX</b>	<b>80.6%</b> (54%-100%)	1,939	48