


BMI - Alcott Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 414 | 423 | 837 |
| Underweight (< 5th %ile) | 3% | 2% | 3% |
| Normal BMI (5th - 85th %ile) | 50% | 52% | 51% |
| Overweight or obese (\geq 85th %ile)* | 48% | 46% | 47% |
| Obese (\geq 95th %ile) | 30% | 25% | 27% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Blair Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 93 | 105 | 198 |
| Underweight (< 5th %ile) | 4% | 2% | 3% |
| Normal BMI (5th - 85th %ile) | 61% | 67% | 64% |
| Overweight or obese (\geq 85th %ile)* | 34% | 31% | 33% |
| Obese (\geq 95th %ile) | 24% | 12% | 18% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Carver Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|------------------------------------|------|-------|-------|
| Number of children assessed: | 190 | 189 | 379 |
| Underweight (< 5th %ile) | 2% | 3% | 2% |
| Normal BMI (5th - 85th %ile) | 53% | 51% | 52% |
| Overweight or obese (≥ 85th %ile)* | 46% | 46% | 46% |
| <i>Obese (≥ 95th %ile)</i> | 24% | 21% | 22% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex



BMI - Cleminson Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|------------------------------------|------|-------|-------|
| Number of children assessed: | 350 | 378 | 728 |
| Underweight (< 5th %ile) | 5% | 4% | 4% |
| Normal BMI (5th - 85th %ile) | 54% | 66% | 60% |
| Overweight or obese (≥ 85th %ile)* | 41% | 30% | 35% |
| Obese (≥ 95th %ile) | 22% | 13% | 18% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Columbia Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|------------------------------------|------|-------|-------|
| Number of children assessed: | 369 | 365 | 734 |
| Underweight (< 5th %ile) | 5% | 2% | 4% |
| Normal BMI (5th - 85th %ile) | 44% | 55% | 49% |
| Overweight or obese (≥ 85th %ile)* | 51% | 43% | 47% |
| Obese (≥ 95th %ile) | 31% | 24% | 28% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Cortada Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 205 | 218 | 423 |
| Underweight (< 5th %ile) | 4% | 6% | 5% |
| Normal BMI (5th - 85th %ile) | 45% | 54% | 50% |
| Overweight or obese (\geq 85th %ile)* | 50% | 40% | 45% |
| Obese (\geq 95th %ile) | 32% | 24% | 28% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Diamond Ranch Yr 2

Summary of Children's BMI-for-Age


| | <u>Boys</u> | <u>Girls</u> | <u>Total</u> |
|--|-------------|--------------|--------------|
| Number of children assessed: | 360 | 349 | 709 |
| Underweight (< 5th %ile) | 3% | 1% | 2% |
| Normal BMI (5th - 85th %ile) | 58% | 66% | 61% |
| Overweight or obese (\geq 85th %ile)* | 40% | 34% | 37% |
| <i>Obese (\geq 95th %ile)</i> | 28% | 16% | 22% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Eliot Yr 2

Summary of Children's BMI-for-Age

| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 47 | 26 | 73 |
| Underweight (< 5th %ile) | 4% | 0% | 3% |
| Normal BMI (5th - 85th %ile) | 53% | 46% | 51% |
| Overweight or obese (\geq 85th %ile)* | 43% | 54% | 47% |
| Obese (\geq 95th %ile) | 28% | 27% | 27% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Ganesha Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 345 | 349 | 694 |
| Underweight (< 5th %ile) | 4% | 1% | 3% |
| Normal BMI (5th - 85th %ile) | 53% | 51% | 52% |
| Overweight or obese (\geq 85th %ile)* | 43% | 48% | 45% |
| Obese (\geq 95th %ile) | 26% | 23% | 24% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Gidley Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 244 | 240 | 484 |
| Underweight (< 5th %ile) | 2% | 1% | 2% |
| Normal BMI (5th - 85th %ile) | 47% | 46% | 46% |
| Overweight or obese (\geq 85th %ile)* | 51% | 53% | 52% |
| Obese (\geq 95th %ile) | 33% | 32% | 32% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex



BMI - La Primaria Yr 2

Summary of Children's BMI-for-Age

| | Boys | Girls | Total |
|------------------------------------|------|-------|-------|
| Number of children assessed: | 154 | 160 | 314 |
| Underweight (< 5th %ile) | 4% | 4% | 4% |
| Normal BMI (5th - 85th %ile) | 56% | 48% | 52% |
| Overweight or obese (≥ 85th %ile)* | 40% | 48% | 44% |
| Obese (≥ 95th %ile) | 25% | 29% | 27% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - LeGore Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 244 | 214 | 458 |
| Underweight (< 5th %ile) | 7% | 3% | 5% |
| Normal BMI (5th - 85th %ile) | 54% | 60% | 57% |
| Overweight or obese (\geq 85th %ile)* | 39% | 37% | 38% |
| Obese (\geq 95th %ile) | 22% | 19% | 21% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Lopez Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 304 | 296 | 600 |
| Underweight (< 5th %ile) | 2% | 2% | 2% |
| Normal BMI (5th - 85th %ile) | 51% | 52% | 52% |
| Overweight or obese (\geq 85th %ile)* | 47% | 46% | 46% |
| Obese (\geq 95th %ile) | 30% | 27% | 29% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Madison Yr 2

Summary of Children's BMI-for-Age


| | <u>Boys</u> | <u>Girls</u> | <u>Total</u> |
|------------------------------------|-------------|--------------|--------------|
| Number of children assessed: | 301 | 252 | 553 |
| Underweight (< 5th %ile) | 5% | 2% | 4% |
| Normal BMI (5th - 85th %ile) | 49% | 58% | 53% |
| Overweight or obese (≥ 85th %ile)* | 46% | 40% | 43% |
| <i>Obese (≥ 95th %ile)</i> | 28% | 24% | 26% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Maxson Yr 2

Summary of Children's BMI-for-Age

| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 265 | 289 | 554 |
| Underweight (< 5th %ile) | 6% | 5% | 5% |
| Normal BMI (5th - 85th %ile) | 49% | 53% | 51% |
| Overweight or obese (\geq 85th %ile)* | 45% | 42% | 44% |
| Obese (\geq 95th %ile) | 31% | 22% | 27% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - McNair Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 241 | 188 | 429 |
| Underweight (< 5th %ile) | 3% | 3% | 3% |
| Normal BMI (5th - 85th %ile) | 44% | 51% | 47% |
| Overweight or obese (\geq 85th %ile)* | 53% | 46% | 50% |
| Obese (\geq 95th %ile) | 34% | 28% | 31% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Miramonte Yr 2

Summary of Children's BMI-for-Age

| | Boys | Girls | Total |
|------------------------------------|------|-------|-------|
| Number of children assessed: | 237 | 248 | 485 |
| Underweight (< 5th %ile) | 3% | 4% | 3% |
| Normal BMI (5th - 85th %ile) | 49% | 52% | 51% |
| Overweight or obese (≥ 85th %ile)* | 48% | 44% | 46% |
| Obese (≥ 95th %ile) | 30% | 24% | 27% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Parkview Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 388 | 381 | 769 |
| Underweight (< 5th %ile) | 1% | 2% | 2% |
| Normal BMI (5th - 85th %ile) | 51% | 53% | 52% |
| Overweight or obese (\geq 85th %ile)* | 48% | 45% | 47% |
| Obese (\geq 95th %ile) | 28% | 25% | 27% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Portero Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 413 | 371 | 784 |
| Underweight (< 5th %ile) | 2% | 2% | 2% |
| Normal BMI (5th - 85th %ile) | 45% | 53% | 49% |
| Overweight or obese (\geq 85th %ile)* | 53% | 45% | 49% |
| Obese (\geq 95th %ile) | 36% | 27% | 32% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Shirpser Yr 2

Summary of Children's BMI-for-Age

| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 228 | 197 | 425 |
| Underweight (< 5th %ile) | 4% | 2% | 3% |
| Normal BMI (5th - 85th %ile) | 46% | 60% | 53% |
| Overweight or obese (\geq 85th %ile)* | 50% | 39% | 45% |
| Obese (\geq 95th %ile) | 29% | 23% | 26% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Voorhis Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 220 | 207 | 427 |
| Underweight (< 5th %ile) | 4% | 2% | 3% |
| Normal BMI (5th - 85th %ile) | 49% | 52% | 50% |
| Overweight or obese (\geq 85th %ile)* | 48% | 46% | 47% |
| Obese (\geq 95th %ile) | 32% | 27% | 30% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Wilkerson Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|------------------------------------|------|-------|-------|
| Number of children assessed: | 283 | 244 | 527 |
| Underweight (< 5th %ile) | 2% | 1% | 2% |
| Normal BMI (5th - 85th %ile) | 43% | 45% | 44% |
| Overweight or obese (≥ 85th %ile)* | 55% | 53% | 54% |
| Obese (≥ 95th %ile) | 34% | 32% | 33% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Wilson Yr 2

Summary of Children's BMI-for-Age


| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 272 | 264 | 536 |
| Underweight (< 5th %ile) | 4% | 2% | 3% |
| Normal BMI (5th - 85th %ile) | 51% | 55% | 53% |
| Overweight or obese (\geq 85th %ile)* | 45% | 44% | 44% |
| Obese (\geq 95th %ile) | 26% | 23% | 25% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex




BMI - Wright Yr 2

Summary of Children's BMI-for-Age

| | Boys | Girls | Total |
|--|------|-------|-------|
| Number of children assessed: | 509 | 470 | 979 |
| Underweight (< 5th %ile) | 1% | 1% | 1% |
| Normal BMI (5th - 85th %ile) | 49% | 58% | 53% |
| Overweight or obese (\geq 85th %ile)* | 50% | 40% | 45% |
| Obese (\geq 95th %ile) | 34% | 20% | 27% |

*Terminology based on: Barlow SE and the Expert Committee. Expert committee recommendations regarding the prevention, assessment, and treatment of child and adolescent overweight and obesity: summary report. Pediatrics. 2007;120 (suppl 4):s164-92.

Prevalence of Overweight and Obesity



Prevalence of Overweight and Obesity, by Sex

