

# **APPROVED POOL EQUIPMENT LIST**

**County of Los Angeles - Department of Public Health  
Environmental Health – Recreational Waters Program  
5050 Commerce Drive  
Baldwin Park, CA 91754  
(626) 430-5360  
Recreational Waters Program Website  
<http://www.lapublichealth.org/eh/progs/envirp/ehrec.htm>**

**01/14/2010**



<b>DIATOMACEOUS EARTH FILTERS</b> .....	2
<b>RAPID SAND FILTERS</b> .....	3
<b>HIGH RATE SAND FILTERS</b> .....	4
<b>CARTRIDGE FILTERS</b> .....	10
<b>PUMPS</b> .....	11
<b>RECESSED AUTOMATIC SKIMMERS</b> .....	14
<b>FLOWMETERS</b> .....	14
<b>CHLORINATORS</b> .....	15
<b>CHLORINE GENERATORS</b> .....	17
<b>GAS CHLORINATORS</b> .....	18
<b>BROMINATORS</b> .....	18
<b>DRAIN COVERS</b> .....	18
<b>FLOOR INLET FITTINGS</b> .....	19
<b>SPAS, ACRYLIC/GEL COAT</b> .....	19
<b>SUPPLEMENTAL EQUIPMENT / MATERIALS</b>	20

**DIATOMACEOUS EARTH FILTERS**

<b>Model</b>	<b>Sq.Ft.</b>	<b>Maximum flowrate gpm/sq.ft.</b>			
			12L162	162	2
			12LL264	264	2
			13L175	175	2
			13LL286	286	2
			14L189	189	2
			14LL308	308	2
			15L202	202	2
			15LL330	330	2
			16L216	216	2
			16LL352	352	2
			17L229	229	2
			17LL374	374	2
			18L243	243	2
			18LL396	396	2
			19L256	256	2
			19LL418	418	2
			20L270	270	2
			20LL440	440	2
			21L283	283	2
			21LL462	462	2
			22L297	297	2
			22LL484	484	2
			23L310	310	2
			23LL506	506	2
			24L324	324	2
			24LL528	528	2
			25L337	338	2
			25LL550	550	2
			26L350	350	2
			26LL572	572	2
			27L363	363	2
			27LL594	594	2
			28L377	377	2
			28LL616	616	2
			29L390	390	2
			29LL638	638	2
			30L404	404	2
			30LL660	660	2
			31LL682	682	2
			32LL704	704	2
			7L94	94	2
			8L108	108	2
			9L121	121	2
			[Tube type Defender D.E. Filters]		
			SP-18-24-150	59	1.67
			SP-18-30-150	75	1.67
			SP-18-38-150	97	1.67
			SP-24-24-327	129	1.67
			SP-24-30-327	164	1.67
			SP-24-38-327	211	1.67
			SP-27-48-487	401	1.67
			SP-30-24-595	234	1.67
			SP-30-30-595	298	1.67
			SP-30-38-595	383	1.67
			SP-30-42-595	426	1.67
			SP-33-48-732	602	1.67
			SP-36-30-756	379	1.67
			SP-36-38-756	487	1.67
			SP-36-42-756	541	1.67
			SP-41-48-1038	854	1.67
			SP-42-30-1080	541	1.67
			SP-42-38-1080	487	1.67
			SP-42-42-1080	541	1.67
			SP-48-30-1452	727	1.67
			SP-48-38-1452	935	1.67
<u>Competition Pool Accessories, Inc. (formerly Jacuzzi)</u>					
EW75	35	2			
EW100	45	2			
EW125	57.5	2			
EW150	70	2			
<u>Filtrex Inc.</u>					
EC-140	77.3	1.5			
EC-145	103.0	1.6			
EC-225	165.2	1.6			
EC-225S	208.7	1.6			
EC-350	277.9	1.6			
EC-350S	410.2	1.4			
EC-500	410.9	1.6			
EC-500S	519.4	1.6			
EC-700	559.6	1.6			
EC-700S	707.3	1.6			
EC-1000	740.5	1.6			
EC-1275	935.8	1.6			
EC-1400	1119.2	1.6			
EC-1675	1216.6	1.4			
EC-1675 (short)	1216.6	1.4			
EC-2000	1481.0	1.6			
EC-2100	1538.8	1.6			
EC-2550	1871.6	1.6			
<u>Hayward Pool Products, Inc.</u>					
[Pro-Grid]					
DE2420X	24	2			
DE3620X	36	2			
DE4820X	48	2			
DE6020X	60	2			
DE7220X	72	2			
<u>Leslie's Swimming Pool Supplies</u> (Manufactured by Hayward for Leslie's)					
DELE42252	36	2			
DELE42254	48	2			
DELE42256	60	2			
DELE42258	72	2			
<u>Jandy Pool Products, Inc.</u>					
DEL48	48	2			
DEV48	48	2			
DEL60	60	2			
DEV60	60	2			
<u>Neptune-Benson, Inc</u> (Vacuum DE)					
10L135	135	2			
10LL220	220	2			
11L148	148	2			
11LL242	242	2			

SP-48-42-1452	1039	1.67
SP-49-48-1548	1274	1.67
SP-54-30-1996	1000	1.67
SP-54-38-1996	1285	1.67
SP-54-42-1996	1428	1.67
SP-55-48-2076	1708	1.67
SP-60-30-2460	1232	1.67
SP-60-38-2460	1584	1.67
SP-60-42-2460	1760	1.67

Pentair Pool Products Inc. (Pac Fab Inc.)

[Nautilus FNS]

FNS-24	24	2
FNS-36	36	2
FNS-48	48	2
FNS-60	60	2

[FNS Plus]

FNSP36	36	2
FNSP48	48	2
FNSP60	60	2

[Quad Series]

QUAD 60	60	2
QUAD 80	80	2
QUAD 100	100	2

[Nautilus]

NS24	24	2
NS36	36	2
NS48	48	2
NS60	60	2
NS72	72	2

[Nautilus Plus]

NSP36	36	2
NSP48	48	2
NSP60	60	2
NSP72	72	2

[SM/SM 2000 Series]

SM-2024	24	2
SM-2036	36	2
SM-2048	48	2
SM-2060	60	2
SM-2072	72	2
SM-4024	24	2
SM-4036	36	2
SM-4048	48	2

[SMBW Series]

SMBW-2024	23	2
SMBW-2036	35	2
SMBW-2048	47	2
SMBW-2060	58	2
SMBW-2072	70	2
SMBW-4024	24	2
SMBW-4036	36	2
SMBW-4048	48	2

[Titian RPM series]

56623300	30	2
56623400	40	2
56623500	50	2

Sta-Rite Industries Inc.  
(parent company Pentair)

[System 2]

PLD50	30	2
PLD70	36	1.94

[System 3]

S7D75	37	2
S7MD60	60	2
S7MD72	72	2
S8D110	53	2

United Industries Inc.

PCT 150	128	2
PCT 200	173	2
PCT 300	255	2
PCT 400	339	2
PCT 600	510	2

Waterway (B & S Plastics)

570-0024	24	2
570-0036	36	2
570-0048	48	2
570-0060	60	2

Whitten Products

[Vacuum DE]

WDE-250	250	1
WDE-300	300	1
WDE-350	350	1
WDE-400	400	1
WDE-450	450	1
WDE-500	500	1
WDE-600	600	1
WDE-700	700	1
WDE-800	800	1
WDE-900	900	1.5
WDE-1000	1000	1.5

**RAPID SAND FILTERS**

**Model**

**Sq.Ft.  
Maximum  
gpm/sq.ft.**

Neptune-Benson, Inc

(1 Tank Single Cell)

102-SRF	56.8	3
108-SRF	63.6	3
114-SRF	70.9	3
120-SRF	70.9	3
36-SRF	7.1	3
42-SRF	9.6	3
48-SRF	12.6	3
54-SRF	15.9	3
60-SRF	19.6	3
66-SRF	23.8	3
72-SRF	28.3	3
78-SRF	33.2	3

84-SRF	38.5	3
90-SRF	44.2	3
96-SRF	50.3	3
(2 Tanks in Series Single Cell)		
102-DRF	113.6	3
108-DRF	127.2	3
114-DRF	141.8	3
120-DRF	157.0	3
36-DRF	14.1	3
42-DRF	19.2	3
48-DRF	25.1	3
54-DRF	31.8	3
60-DRF	39.3	3
66-DRF	47.5	3
72-DRF	56.5	3
78-DRF	66.4	3
84-DRF	77.0	3
90-DRF	88.4	3
96-DRF3	100.5	3
(3 Tanks in Series Single Cell)		
102-TRF	170.4	3
108-TRF	190.8	3
114-TRF	212.7	3
120-TRF	235.5	3
36-TRF	21.2	3
42-TRF	29.8	3
48-TRF	37.8	3
54-TRF	47.7	3
60-TRF	58.8	3
66-TRF	71.4	3
72-TRF	84.9	3
78-TRF	99.6	3
84-TRF	115.5	3
90-TRF	132.6	3
96-TRF	150.9	3
(1 Tank 2 Cells Tank)		
42-SDC	19.2	3
48-SDC	25.1	3
54-SDC	31.8	3
60-SDC	39.3	3
66-SDC	47.5	3
72-SDC	56.5	3
78-SDC	66.4	3
84-SDC	77.0	3
(1 Tank 3 Cells/Tank)		
42-STC	28.9	3
48-STC	37.8	3
54-STC	47.7	3
60-STC	58.8	3
66-STC	71.4	3
72-STC	84.9	3
78-STC	99.6	3
84-STC	115.5	3
(2 Tanks in Series 2 Cells/Tank)		
42-DDC	38.4	3
48-DDC	50.2	3
54-DDC	60.6	3
60-DDC	78.6	3
66-DDC	95.0	3
72-DDC	113.0	3
78-DDC	132.8	3

84-DDC	154.0	3
(2 Tanks in Series 3 Cells/Tank)		
42-DTC	57.8	3
48-DTC	75.6	3
54-DTC	95.4	3
60-DTC	117.6	3
66-DTC	142.8	3
72-DTC	169.8	3
78-DTC	199.2	3
84-DTC	231.0	3
(3 Tanks in Series 2 Cells/Tank)		
42-TDC	57.6	3
48-TDC	75.3	3
54-TDC	95.4	3
60-TDC	117.9	3
66-TDC	142.5	3
72-TDC	169.5	3
78-TDC	199.2	3
84-TDC	231.0	3
(3 Tanks in Series 3 Cells/Tank)		
42-TTC	86.7	3
48-TTC	113.4	3
54-TTC	143.1	3
60-TTC	176.4	3
66-TTC	214.2	3
72-TTC	254.7	3
78-TTC	298.8	3
84-TTC	346.5	3

Paddock Pool Equipment Co. Inc.

60X	Varies with model number. See NSF listing. Max flow 3 gpm/sq. ft.
61X	
67X	

Whitten Products[Vacuum Filters]

1U-1C-X	Varies with model number. See NSF listing. Maximum flowrate 3 gpm/sq/ft
1U-2C-X	
1U-3C-X	

HIGH RATE SAND FILTERS

Model	Sq.Ft.	Maximum flowrate gpm/sq.ft.
<u>Astral Products Inc.</u>		
06632	21.64	15
06633	27.34	20
06634	33.80	20
06635	9.26	15
06676	12.16	10
06677	16.58	10
06678	27.34	10
06679	33.80	10
06680	12.16	15
06681	16.58	20
06682	9.26	20
06683	12.16	20
06684	21.64	20

06804	9.26	20
06805	12.16	20
27802	4.75	20
27803	6.84	20
27857	6.84	20

## [Horizontal]

07129	53	20
05110	75	20
11319	21	20
11325	26	20
11330	30	20
20895	34	20
20896	24	20
20897	29	20
20898	34	20
20899	38	20
20900	32	20
20901	37	20
20902	46	20
20903	51	20

Baker Hydro

F3-24-63	3.1	20
HRV-24	3.1	20
HRV-30	4.9	20
HRV-36	7.0	20

Competition Pool Accessories, Inc. (formerly Jacuzzi)

ST-24	3.0	20
ST-27	4.0	20
ST-33	6.0	20
TM26	3.75	20
TM31	4.8	20

EPD Wearnes Inc.

EPD 150, 104	13.5	20
EPD 200, 201, 206	27.0	20
EPD 300, 301, 306	40.5	20
EPD 400, 401, 408	54.0	20
EPD 500, 501, 508	67.5	20
EPD 600, 601, 602, 608	81.0	20
EPD 700, 701, 710	94.5	20
EPD 800, 810	108.0	20

## [Fiberglass Series]

EPD 104C, 104CS	16.5	20
EPD 206CP, 206CSP	33.0	20
EPD 308C, 308CS	49.5	20
EPD 408C, 408CS	66.0	20
EPD 510C, 510CS	82.5	20
EPD 610C, 610CS	99.0	20
EPD 710C, 710CS	115.5	20
EPD 810C, 810CS	132.0	20

Eureka Manufacturing Co. Inc.

HRG 48	12.6	15
HRL 48	12.6	20
HRL 54	15.9	20
HRL 60	19.6	20
HRL 66	23.7	20
HRL 72	28.3	20

HRL 78	33.2	20
HRL 84	38.5	20
HRL 90	44.2	20
HRL 248	25.2	20
HRL 254	31.8	20
HRL 260	39.2	20
HRL 266	47.4	20
HRL 272	56.6	20
HRL 278	66.4	20
HRL 284	77.0	20
HRL 290	88.4	20
HRL 296	110.6	20
HRL 2102	113.4	20
HRL 2108	127.2	20
HRL 2120	157	20

(NSF listed units begin with serial number N1250 )

Hayward Pool Products, Inc.

S-160T	1.4	20
S-180T	1.7	20
S-200	2.2	20
S-210-S	2.2	20
S-210T	2.2	20
S-220S	2.6	20
S-220T	2.6	20
S-230TPL	2.6	20
S-240	3.1	20
S-244SX	3.1	20
S-244T	3.1	20
S-310SX	4.9	20
S-310T	4.9	20
S-311SX	4.9	20
S-360SX	6.7	20

Hydrokleen Systems Inc.

90-S-8146-2 20	5.6	20
S2-8146-3 20	11.2	20
S3-8146-4 20	16.8 2	0
S4-8146-6 20	22.4	20
S5-8146-6 20	28	20
S6-8146-6 20	33.6	20
90-S-8161-3 20	7.1	20
S2-8161-3 20	14.2	20
S3-8161-4 20	21.3	20
S4-8161-6 20	28.4	20
S5-8161-6 20	35.5	20
S6-8161-6 20	42.6	20
90-S-9746-3 20	7.4	20
S2-9746-4 20	14.8	20
S3-9746-6 20	22.2	20
S4-9746-6 20	29.6	20
S5-9746-8 20	37	20
S6-9746-8 20	44.4	20
90-S-8191-3 20	9.8	20
S2-8191-4 20	19.6	20
S3-8191-6 20	29.4	20
S4-8191-6 20	39.2	20
S5-8191-8 20	49	20
S6-8191-8 20	58.8	20
90-S-9791-4 20	12.2	20
S2-9791-4 20	24.4	20
S3-9791-6 20	36.6	20
S4-9791-6 20	48.8	20
S5-9791-8 20	61	20

S6-9791-8 20	73.2	20	SFV102	56.7	20
90-S-81122-4 20	12.4	20	SFV108	63.6	20
S2-81122-6 20	24.8	20	SFV114	76.9	20
S3-81122-6 20	37.2	20	SFV120	78.5	20
S4-81122-8 20	49.6	20	SFV248	25.2	20
S5-81122-8 20	62	20	SFV254	31.8	20
S6-81122-10 20	74.4	20	SFV260	39.2	20
90-S-97122-4 20	15.3	20	SFV266	47.4	20
S2-97122-6 20	30.6	20	SFV272	56.6	20
S3-97122-6 20	45.9	20	SFV278	66.4	20
S4-97112-8 20	61.2	20	SFV284	77.0	20
S5-97122-10 20	76.5	20	SFV290	88.4	20
S6-97122-10 20	91.8	20	SFV296	100.6	20
90-S-81152-4 20	15.2	20	SFV2102	113.14	20
S2-81152-6 20	30.4	20	SFV2108	127.2	20
S3-81152-6 20	45.6	20	SFV2114	141.8	20
S4-81152-8 20	60.8	20	SFV2120	157.0	20
S5-81152-1020	76	20			
S6-81152-10 20	91.2	20	<u>Nemato</u>		
90-S-97152-4 20	18.4	20	[EK03 series]		
S2-97152-6 20	36.8	20	EKO-34-100-X	10	20
S3-97152-8 20	55.2	20	EKO-34-126-X	12.6	20
S4-97152-10 20	73.6	20	EKO-34-153-X	15.3	20
S5-97152-12 20	92	20	EKO-34-193-X	19.3	20
S6-97152-12 20	110.4	20	EKO-34-237-X	23.7	20
			EKO-42-200-X	20	20
<u>Leslie's Swimming Pool Supplies</u>			EKO-42-225-X	22.5	20
(Manufactured by Hayward for Leslie's)			EKO-42-250-X	25	20
			EKO-42-275-X	27.5	20
SELE42082	2.2	20	EKO-42-310-X	31	20
SELE42804	3.1	20	EKO-42-360-X	36	20
SELE42086	4.9	20	EKO-42-410-X	41	20
			EKO-42-460-X	46	20
<u>Miami Tank Mfg. Company</u>			EKO-60-350-X	35	20
			EKO-60-400-X	40	20
[Horizontal]			EKO-60-450-X	45	20
HH361-4	13.5	20	EKO-60-500-X	50	20
HH362-4	27.0	20	EKO-60-550-X	55	20
HH363-6	40.5	20	EKO-60-600-X	60	20
HH363-8	40.5	20	EKO-60-650-X	65	20
HH364-6	54.0	20	EKO-60-700-X	70	20
HH364-8	54.0	20	EKO-60-750-X	75	20
HH365-6	67.5	20	EKO-60-800-X	80	20
HH365-8	67.5	20			
HH366-6	81.0	20	<u>Neptune-Benson, Inc</u>		
HH366-8	81.0	20	(1 Tank Single Cell)		
HH366-10	81.0	20	114-SRF	70.9	20
HH367-8	94.5	20	120-SRF	78.5	20
HH367-10	94.5	20	36-SRF	7.1	17
HH368-10	108.0	20	36-SRF-EB	7.1	15
HH421-4	27.0	20	42-SRF	9.6	20
HH422-8	54.0	20	42-SRF-EB	9.6	15
			48-SRF	12.6	20
[Vertical Side Mount]			48-SRF-EB	12.6	15
SFV36	7.1	20	54-SRF	15.9	20
SFV42	9.6	20	54-SRF-EB	15.9	15
SFV48	12.6	20	60-SRF	19.6	20
SFV54	15.9	20	60-SRF-EB	19.6	15
SFV60	19.6	20	66-SRF	23.8	20
SFV66	23.7	20	66-SRF-EB	23.8	15
SFV72	28.1	20	72-SRF	28.3	20
SFV78	33.2	20	72-SRF-EB	28.3	15
SFV84	38.5	20	78-SRF	33.2	20
SFV90	44.2	20	78-SRF-EB	33.2	15
SFV96	50.3	20			

84-SRF	38.5	20	114-SDC	141.8	14
84-SRF-EB	38.5	15	120-SDC	157.0	13
90-SRF	44.2	20	36-SDC	14.1	20
90-SRF-EB	44.2	15	42-SDC	19.2	20
96-SRF	50.3	20	48-SDC	25.1	20
96-SRF-EB	50.3	15	54-SDC	31.8	20
			60-SDC	39.3	20
(2 Tanks in Series Single Cell)			66-SDC	47.5	20
102-DRF	113.6	20	72-SDC	56.5	20
102-DRF-EB	113.6	15	78-SDC	66.4	20
108-DRF	127.2	20	84-SDC	77.0	20
114-DRF	141.8	20	90-SDC	88.4	20
120-DRF	157.0	20	96-SDC	100.5	20
36-DRF	14.1	17			
36-DRF-EB	14.1	15	(1 Tank 3 Cells/Tank)		
42-DRF	19.2	20	102-STC	170.4	20
42-DRF-EB	19.2	15	108-STC	190.8	20
48-DRF	25.1	20	114-STC	212.7	14
48-DRF-EB	25.1	15	120-STC	235.6	13
54-DRF	31.8	20	36-STC	21.2	20
54-DRF-EB	31.8	15	42-STC	28.9	20
60-DRF	39.3	20	48-STC	37.8	20
60-DRF-EB	39.3	15	54-STC	47.7	20
66-DRF	47.5	20	60-STC	58.8	20
66-DRF-EB	47.5	15	66-STC	71.4	20
72-DRF	56.5	20	72-STC	84.9	20
72-DRF-EB	56.5	15	78-STC	99.6	20
78-DRF	66.4	20	84-STC	115.5	20
78-DRF-EB	66.4	15	90-STC	132.6	20
84-DRF	77.0	20	96-STC	150.9	20
84-DRF-EB	77.0	15			
84-DRF-EB	77.0	15	(2 Tanks in Series 2 Cells/Tank)		
96-DRF-EB	100.5	15	102-DDC	227.2	20
			108-DDC	254.4	20
(3 Tanks in Single Series Cell)			114-DDC	283.6	14
102-TRF	170.4	20	120-DDC	314.0	13
102-TRF-EB	170.4	15	36-DDC	28.2	20
108-TRF	190.8	20	42-DDC	38.4	20
114-TRF	212.7	20	48-DDC	50.2	20
120-TRF	235.5	20	54-DDC	63.6	20
36-TRF	21.2	17	60-DDC	78.6	20
36-TRF-EB	21.2	15	66-DDC	95.0	20
42-TRF	29.8	20	72-DDC	113.0	20
42-TRF-EB	29.8	15	78-DDC	132.8	20
48-TRF	37.8	20	84-DDC	154.0	20
48-TRF-EB	37.8	15	90-DDC	176.8	20
54-TRF	47.7	20	96-DDC	201.0	20
54-TRF-EB	47.7	15			
60-TRF	58.8	20	(2 Tanks in Series 3 Cells/Tank)		
60-TRF-EB	58.8	15	102-DTC	340.8	20
66-TRF	71.4	20	108-DTC	381.6	20
66-TRF-EB	71.4	15	114-DTC	425.4	14
72-TRF	84.9	20	120-DTC	471.0	13
72-TRF-EB	84.9	15	36-DTC	42.4	20
78-TRF	99.6	20	42-DTC	57.6	20
78-TRF-EB	99.6	15	48-DTC	75.6	20
84-TRF	115.5	20	54-DTC	95.4	20
84-TRF-EB	115.5	15	60-DTC	117.6	20
90-TRF	132.6	20	66-DTC	142.8	20
90-TRF-EB	132.6	15	72-DTC	169.8	20
96-TRF	150.9	20	78-DTC	199.2	20
96-TRF-EB	150.9	15	84-DTC	231.0	20
			90-DTC	265.2	20
(1 Tank 2 Cells/Tank)			96-DTC	301.8	20
102-SDC	113.6	20			
108-SDC	127.2	20	(3 Tanks in Series 2/Cells Tank)		

102-TDC	340.8	20
108-TDC	381.6	20
114-TDC	425.4	14
120-TDC	471.0	13
36-TDC	42.3	20
42-TDC	57.6	20
48-TDC	75.6	20
54-TDC	95.4	20
60-TDC	117.6	20
66-TDC	142.8	20
72-TDC	169.8	20
78-TDC	199.2	20
84-TDC	231.0	20
90-TDC	265.2	20
96-TDC	301.8	20
(3 Tanks in Series 3/Cells Tank)		
102-TTC	511.2	20
108-TTC	572.4	20
114-TTC	638.1	14
120-TTC	706.5	13
36-TTC	63.9	20
42-TTC	86.4	20
48-TTC	113.4	20
54-TTC	143.1	20
60-TTC	176.4	20
66-TTC	214.2	20
72-TTC	254.7	20
78-TTC	298.8	20
84-TTC	346.5	20
90-TTC	397.8	20
96-TTC	452.7	20
(Horizontal)		
3448-SHF	12.6	20
3454-SHF	14	20
3460-SHF	15.4	20
3466-SHF	16.8	20
3472-SHF	18.2	20
3478-SHF	19.6	20
3484-SHF	21	20
3490-SHF	22.4	20
3496-SHF	23.8	20
34102-SHF	25.2	20
34108-SHF	26.6	20
34114-SHF	28	20
34120-SHF	29.4	20
36108-SHF	29.3	20
36120-SHF	32.3	20
36132-SHF	35.3	20
36144-SHF	38.3	20
36156-SHF	41.3	20
36168-SHF	44.3	20
36180-SHF	47.3	20
3648-SHF	14.3	20
3660-SHF	17.3	20
3672-SHF	20.3	20
3684-SHF	23.3	20
3696-SHF	26.3	20
42108-SHF	34.6	20
42120-SHF	38.1	20
42132-SHF	41.6	20
42144-SHF	45.1	20
4248-SHF	17.1	20
4260-SHF	20.4	20
4272-SHF	23.9	20

4284-SHF	27.4	20
4296-SHF	30.9	20
42156-SHF	48.6	20
42168-SHF	52.1	20
42180-SHF	55.6	20
42192-SHF	59.1	20
42204-SHF	62.6	20
42116-SHF	66.1	20
4848-SHF	19.7	20
4860-SHF	23.7	20
4872-SHF	27.7	20
4884-SHF	31.7	20
4896-SHF	35.7	20
48108-SHF	39.7	20
48120-SHF	43.7	20
48132-SHF	47.7	20
48144-SHF	51.7	20
48156-SHF	55.7	20
48168-SHF	59.7	20
48180-SHF	63.7	20
48192-SHF	67.7	20
48204-SHF	71.7	20
48216-SHF	75.7	20
6048-SHF	30.82	20
6060-SHF	35.85	20
6072-SHF	40.82	20
6084-SHF	45.82	20
6096-SHF	50.82	20
60108-SHF	55.82	20
60120-SHF	60.82	20
60132-SHF	65.82	20
6044-SHF	70.82	20
60156-SHF	75.82	20
60168-SHF	80.82	20

Compact Style Filter

30CC	4.8	20
36CC	6.6	20
42CC	9.0	20
48CC	11.8	20

Number may precede model number and indicates the number of tanks in series

Paddock Pool Equipment Co. Inc.[Pressure]

67X	Varies with model number. See NSF listing for sq. ft. and maximum flowrate.
-----	---

[Vacuum]

65, 67, 97X	Varies with model number. See NSF listing for sq. ft. and maximum flowrate.
-------------	---

Paragon Aquatics / Stark Aquatic

RS-60	13.5	20
RS-72-X	17.2	20
SS-48-X	13.5	20
SS-72-X	20.0	20
SS-96-X	27.0	20

Pentiar Pool Products Inc. (Pac Fab Inc).

[Eclipse]			S-240BP-2S	3.1	20
58920100	3.5	20	<u>United Industries Inc.</u>		
58920200	4.6	20	[Horizontal FRP Series Filters]		
58920300	6.5	20	F142484	16.8	20
[Triton II Series]			F142604	20.3	20
AT-40	1.9	20	F142606	20.3	20
AT-60	3.1	20	F142724	23.8	20
AT-100	4.9	20	F142726	23.8	20
AT-100C	4.9	20	F142846	27.3	20
AT-140	7.0	20	F142966	30.8	20
SFSM-24	3.1	20	F148726	27.6	20
SFSM-30	4.9	15	F148846	31.6	20
SSFM-36	7.0	15	F148966	35.6	20
TR-40	1.9	20	F148086	39.6	20
TR-50	2.4	20	F148088	39.6	20
TR-60	3.1	20	F148206	43.6	20
TR-100	4.9	15	F148208	43.6	20
TR-100B	4.9	20	F160726	35.7	20
TR-100HD	4.9	15	F160846	40.7	20
TR-140	7.0	15	F160848	40.7	20
[Triton II Commercial Series]			F160966	45.7	20
AT-100C, AT-100C-3	4.9	20	F160968	45.7	20
AT-140C	7.0	20	F160086	50.7	20
SFSM-30C	4.9	20	F160088	50.7	20
SFSM-36C	7.0	20	F160208	55.2	20
TR-100C	4.9	20	[Horizontal High Rate Fiberglass ]		
TR-140C, TR-104C-3	7.0	20	F142604W	21	20
[THS series]			F142726W	26	20
THS3484	19.0	20	F142846W	30	20
THS4272	19.7	20	F142966W	34	20
THS4284	23.2	20	F142086W	38	20
THS4296	26.7	20	F142166W	42	20
<u>Sta-Rite Industries Inc.</u>			F142206W	45	20
(parent company Pentair)			F142326W	48	20
21603-1042	9.26	20	F148606W	24	20
21603-1047	12.16	20	F148726W	29	20
21603-1055	16.58	20	F148846W	34	20
21603-1063	21.64	20	F148966W	38	20
21603-1071	27.34	20	F148086W	44	20
21603-1079	33.80	20	F148166W	48	20
21603-1093	46.72	15	F148206W	52	20
HRPB 20	2.2	20	F148328W	56	20
HRPB 24	3.1	20	F160606W	32	20
HRPB 30	4.9	20	F160726W	37	20
[System 3]			F160846W	46	20
S7S50	2.4	20	F160968W	51	20
S8S70	3.4	20	F160088W	57	20
[Cristal-Flo Series]			F160168W	63	20
T-150 BP-1	1.2	20	F160208W	68	20
T-170 BP-1	1.6	20	F160328W	73	20
T-200 BP-1	2.2	20	F178008W	53	20
T-240 BP-1	3.1	20	F178388W	75	20
T-240 BP-2	3.1	20	P25142X	9.6	15
T-300 BP-2	4.9	20	P25148X	12.6	15
S-200BP-1M	2.1	20	P25154X	15.9	20
S-240BP-1M	3.1	20	P25160X	19.6	20
			P25166X	23.8	20
			P25172X	28.3	20
			P25178X	33.2	20
			P25184X	38.5	20
			P25190X	44.2	20
			P25196X	50.3	20

P25102X	56.7	20
P25108X	63.6	20
P25114X	70.9	20
P25120X	78.5	20
P25242X	19.2	15
P25248X	25.2	15
P25254X	31.8	15
P25260X	39.2	20
P25266X	47.6	20
P25272X	56.6	20
P25278X	66.4	20
P25284X	77.0	20
P25290X	88.4	20
P25296X	100.6	20
P25202X	113.4	20
P25208X	127.2	20
P25214X	141.8	20
P25220X	157.0	20
P25342X	28.8	15
P25348X	37.8	15
P25354X	47.7	15
P25360X	58.8	20
P25366X	71.4	20
P25372X	84.9	20
P25378X	99.6	20
P25384X	115.5	20
P25390X	132.6	20
P25396X	150.9	20
P25302X	170.1	20
P25308X	190.8	20
P25314X	212.7	20
P25320X	235.5	20
P25442X	38.4	15
P25448X	50.4	15
P25454X	63.6	15
P25460X	78.4	20
P25466X	95.2	20
P25472X	113.2	20
P25478X	132.8	20
P25484X	154.0	20
P25490X	176.8	20
P25496X	201.2	20
P25402X	226.8	20
P25408X	254.4	20
P25414X	283.6	20
P25420X	314.0	20

Whitten Products

[Vacuum Filters]

WVS-12.5	12.5	15
WVS-20	20	15
WVS-30	30	15
WVS-40	40	15
WVS-50	50	15
WVS-60	60	15
WVS-100	100	15
WVS-120	120	15
WVS-140	140	15

HVSB-30	30	15
HVSB-40	40	20
HVSB-50	50	20
HVSB-60	60	20
HVSB-70	70	20
HVSB-80	80	20

HVSB-90	90	20
HVSB-100	100	20
HVSB-110	110	20
HVSB-120	120	20

1U-1C-X  
1U-2C-X  
1U-3C-X  
Varies with model number  
See NSF listing. Maximum  
listing. Maximum f.lowrate  
20gpm/sq/ft

**CARTRIDGE FILTERS**

Model	Sq.Ft. flowrate gpm/sq.ft.	Maximum
<u>Baker-Hydro</u>		
UM 50	50	0.375
UM 75	75	0.375
UM 100	100	0.375
UM 150	150	0.375

Competition Pool Accessories, Inc. (formerly Jacuzzi)

CFR-50	50	0.375
CFR-75	75	0.375
CFR-100	100	0.375
CFR-150	150	0.375
SHER-80	80	0.375
SHER-120	120	0.375
SHER-160	160	0.375
SHER-200	100	0.375
TC-300	300	0.375
TC-450	450	0.375
TC-600	600	0.375

Harmsco Inc.

BF 42-A or BF 42 BKM-A	42	0.375
BF 84-A or BF 84 BKM-A	84	0.375
BF 96-A or BF 96 BKM-A	96	0.375
BF 126-A or BF 126 BKM-A	126	0.375
BF 144-A or BF 144 BKM-A	144	0.375
BF 55 SCA	55	0.375
BF 105 SCA	105	0.375
BF 155 SC	155	0.375
BF 168	168	0.375
BF 336	336	0.375
BF 450	450	0.375
BF 600	600	0.375
BF 900FL	900	0.375
BF 1200FL	1200	0.375
HUR 170, HUR 170TC	170	0.375

Hayward Pool Products Inc.

[Star Clear Series]

C500	50	0.375
C750	75	0.375

[Star ClearPlus Series]

C1750X	175	0.343
C17502X	190	0.343
C751	75	0.375
C1200X	120	0.375



Hayward

[Super Series]		
SP2610X15	1½	50
SP2615X20	2	70
SP2621X25	2½	84

[Super II Series]		
SP3007EEAZ	¾	56
SP3010EEAZ	1	73
SP3015EEAZ	1½	94
SP3020EEAZ	2	112
SP3025EEAZ	3	137
SP303063AZ	3	137

SP3005X7AZ	¾	30
SP3007X10AZ	1	56
SP3010X15AZ	1½	73
SP3015X20AZ	2	94
SP3020X25AZ	2½	112
SP3025X30AZ	3	137

[NorthStar Series]		
SP4007NS	¾	56
SP4007NSAQ (Aquatech Label)	¾	56
SP4010NS	1	81
SP4010NSAQ (Aquatech Label)	1	81
SP4015NS	1½	105
SP4015NSAQ (Aquatech Label)	1½	105
SP4020NS	2	125
SP4020NSAQ (Aquatech Label)	2	125
SP4030NS	3	177

SP4007X10NS	1	59
SP4010X15NS	1½	81
SP4015X20NS	2	105
SP4020X25NS	2½	128
SP4025X30NS	3	142

SPLE-40012	¾	56
SPLE-40014	1	73
SPLE-40016	1½	94
SPLE-40018	2	112
SPLE-40020	2	136

[TriStar Series]		
SP3205	½	14
SP3207	¾	53
SP3210	1	82
SP32102	1	82
SP32152	1½	112
SP32202	2	130
SP3215	1½	112
SP3220	2	130
SP3230	3	155
SP3250	5	182

ITT Marlow

2AF1ECB2	2	87
2AF1ECB3	3	132
3B28EC-C2	7½	213
3B32EC-C2	5	319
4SPC10EC-10	10	500
4SPC15EC-15	15	675
4SPC20EC-20	20	900

\*530 Series  
 \*610 Series  
 \*710 Series  
 \*Pool plans should specify the pump model and the flowrate at 60 feet of head.  
 \*All pumps require a hair/lint strainer.  
 \*A list of approved model numbers can be found in NSF listings.

Jandy Pool Products, Inc.

SHPF .75	¾	47
SHPF 1.0	1.0	82
SHPF 1.5	1½	108
SHPF 2.0	2.0	125
SHPF 3.0	3.0	176
SHPM 1.0	1.0	47
SHPM 1.5	1.5	82
SHPM 2.0	2.0	108
SHPM 2.5	2.5	125

(M) =Max. Rated Pump (F) =Full Rated Pump

Leslie's Swimming Pool Supplies  
 (Manufactured by Hayward for Leslie's)  
 Super II Series Equivalent Pumps

RS-750	¾	56
RS-1000	1	73
RS-1500	1½	94
RS-2000	2	112
RS-2500	2½	127
RS-3000	3	137

Paco Pumps /Sulzer Pumps

\*Type L Series Closed Coupled Horizontally Mounted Pumps  
 \*Type L Series Closed Coupled Vertically Mounted Pumps  
 \*Type L Series Frame Mounted Pumps  
 \*Type VL Series In-Line Pumps  
 \*Type KP or KPV Series Split case Horizontal or Vertical Mounted Pumps

\*Impellers are specifically machined for each application therefore flowrates cannot be determined for each pump.  
 \*Pool plans should specify the pump model and the flowrate at 60 feet of head.

\*All pumps require a hair/lint strainer.

\*A list of approved model numbers can be found in NSF listings.

Pentiar Pool Products Inc. (Pac Fab Inc.)

[C Series]		
CH-50	5	230
CM-50	5	250
CHK-50	5	230
CHK-75, CHKL-75	7½	380
CHK-100	10	565
CHK-150	15	585

CHK-200, CHKL-200	20	710
CMK-50	5	230
CMK-75	7½	345
CMK-100	10	560
CMK-150	15	680
[Challenger Series]		
CHII-N1-½ F/FE	½	33
CHII-N1-¾ F/FE	¾	54
CHII-N1-1 F/FE	1	68
CHII-N1-1½ F/FE	1½	82
CHII-N1-2 F/FE	2	110
CHII-N1-3 FE	3	132
[EQ Series]		
EQ500 1PH	5	275
EQ500 3PH	5	275
EQ750 1PH	7.5	400
EQ750 3PH	7.5	400
EQ1000 3PH	10	480
EQ1500 3PH	15	710
[Hydropump Series]		
RFP 590 ½P	½	22
RPF 590 ¾P	¾	36
RPF 590 1P	1	48
RPF 590 1½P	1½	60
RPF 590 2P	2	72
[WhisperFlo Series] (full rate / energy efficient)		
WF-2X, WFE-2X	½	40
WF-3X, WFE-3X, WFK-3X	¾	60
WF-4X, WFE-4X, WFK-4X	1	76
WF-6X, WFE-6X, WFK-6X	1½	99
WF-8X, WFE-8X, WFK-8X	2	113
WF-12X, WFE-12X or WFK-12X (uprate)	3	143
WF-24X, WFE-24X	¾	60
WF-26X, WFE-26X	1	76
WF-28X, WFE-28X	1½	99
WF-30X, WFE-30X	2	113
<u>Pentair Pool Products</u> Sta-Rite Industries Inc.)		
CCH-137S	3	146
CCH3-137S	3	146
CCHH-137	3	146
CCHHS-137	3	146
CCHH3-137	3	146
CCHH3S-137	3	146
CCMH-136	3	148
CCMH-136S	3	140
CCMHS-136	3	148
CCMH3-136	3	148
CCMH3-136S	3	140
CCMH3S-136	3	148
CF6EF-81L	1½	59
CF6EG-82-L	2	70
CF6H-123	3	82
CF6H3-123	3	82
CHH-137	3	146
CHH3-137	3	146
CHJ-136	5	214
CHJ-138	5	214

CHJ3-138	5	214
CMH-136	3	140
CMH3-136	3	140
DDH3-112	3	110
DDH3-169	3	110
DHH-112	3	110
DHH-169	3	110
DHJ-113	5	152
DHJ3-113	5	152
DMH-110	3	139
DMH-171	3	139
DMH3-110	3	139
DMH3-171	3	139
DMJ	5	190
DMJ3	5	190
[Dura-Glas Series]		
P2R5C-120L or 180L	½	40
P2R5D-124L or 181L	¾	52
P2R5E-125L or 182L	1	68
P2R5E3-182	1	68
[Dura-Glas II Series]		
P4R6E-151L or 187L	1	70
P4R6E3-187	1	70
P4R6F-152-L or 188L	1½	103
P4R6F3-188	1½	103
[MaxE-Glass Series]		
PE5C-120L or 180L	½	39
PE5D-124L or 181L	¾	56
PE5E-125L or 182L	1	73
P4E6D-150L or 186L	¾	55
P4E6E-151L or 187L	1	70
P4E6F-152-L or 188L	1½	103
P4E6G-153-L or 189L	2	118
P4E6H-154L or 190L	3	146
[Dyna-Glas Series (Standard)]		
MPRA6E-147L	1	37
MPRA6F-148L	1½	74
MPRA6G-155L	2	88
MPRA6G3-155	2	88
[Dyna-Max Series (En. Eff.)]		
MPEA6F-148L	1½	74
MPEA6G-155L	2	88
MPEAA6G-168L	2½	109
<u>Max-E-Pro Series</u>		
P6E6D-205L	¾	54
P6E6E-206L	1	72
P6E6F-207L	1½	97
P6E6G-208L	2	113
P6E6H-209L	3	139
P6RA6E-205L	1	72
P6RA6F-206L	1½	97
P6RA6G-207L	2	113
P6RA6E-205L	1	54
P6EA6F-206L	1½	72
P6EA6G-207L	2	97
P6EAA6G-208L	2½	113
[CCSP Series]		
CCSPHK-142	7½	330
CCSPHK3-142	7½	330

CCSPH2K3-142	7½	330
CCHPHL-143	10	330
CCSPHL3-143	10	440
CCSPH2L3-143	10	440
CCSPHM3-144	15	652
CCSPH2M3-144	15	652
CCSPHN3-145	20	757
CCSPHN3-145	20	757

[CSPH Series]

CSPHK-142	7½	330
CSPHK2K3-142	7½	330
CSPHK3-142	7½	330
CSPHL-143	10	440
CSPH2L3-143	10	440
CSPH3-143	10	440
CSPH2M3-144	15	625
CSPHM3-144	15	625
CSPH2N3-145	20	750
CSPHN3-145	20	750

IntelliFlo VF [restrictions apply contact our office]  
 IntelliFlo VS + SVRS [restrictions apply contact our office]

Speck Pumps

72-IV	2	69
72-V	2½	90
72-VI	3½	115
95-IX	5	140
95-X (3-Phase pump)	7½	315
S90-III	1½	55
S90-IV	2	80
433-I	¾	20
433-II	1	37
433-III	1½	50
433-IV	2	73
433-V	2½	92
433-VI	3½	110

Waterway (B & S Plastics)

SVL56S-120	2	102
SVL56E-120	2	108
SVL56S-125	2½	97
SVL56E-130	3	139

**RECESSED AUTOMATIC SKIMMERS**

Hayward Inc.

- SP 1070-FVE
- SP 1071 FVA 1½ "
- SP 1071S FVA 1½ "
- SP 1071S FVA 2"
- SP 10712 FVA 2"
- SP 1082-FVE
- SP 1084-FVE
- SP 1085-FVE

Note: Either a (FVA) Low Water Float Valve or (SP1070FVEKIT) combination float valve/equalizer valve is required for all skimmers.

Note: Auto-fill lines require backflow protection.

Overflow lines require a physical air gap.

Pentair Pool Products Inc. (Pac Fab Inc.)

Bermuda BKG 50-6370 or 50-6371

- [Series SC-20]
- 8442020x 1½"
- 8442050x 2"
- 8442060x 2"

Sta-Rite Industries  
(parent company Pentair)

- [U3 Series]
- 08650-1403
- 08650-2403
- 08650-1404
- 08650-2404

Waterway (B & S Plastics)

- 540-6200 1½"
- 540-6250 1½"
- 540-6300 2"
- 540-6350 2

**FLOWMETERS**

Blue White Industries

- D-300 Series
- F-300 Series
- F-300N Series
- F-300R Series
- F-400 Series
- F-500 Series
- F-1000 RB Series
- F-1000 RT Series
- F-1000 TB Series
- F-2000 Series
- U-300 Series

+George Fisher +Signet

[George Fisher]  
800 series

[+George Fisher +Signet]

- P51530-X
- 3-2536
- 3-5090
- 3-5100
- 3-5500
- 3-8550
- 3-9010

Rola-chem

- 5703X
- 5704X

Wallace & Tiernan

520.300



Hasa Inc.

Liquidator C-201	2.5
Liquidator R-101	2.5

Hayward

CL-220X	1.6
C-250X	32.4
C-500X	37.8
C-1100X	81.0
C-1800X	86.4
C-2400X	102.6

King Technology Inc.

910	1.6
940	1.6
960	1.4
980	1.6

Leslie's Swimming Pool Supplies

Chlorination Column #16-20020.6  
(Manufactured by PPG)  
Qwikload 32.0  
(Manufactured by Arch)

Liquid Metronics Inc.

- \*A Series
- \*B Series
- \*C Series
- \*M Series
- \*P Series
- \*U Series

\*See output specifications for individual model numbers within each series.

Pentair (Rainbow)

300, 300C (needs flow indicator)	0.99
300-19 (needs flow indicator)	1.61
300-29 (needs flow indicator)	3.39
300-29X (needs flow indicator)	6.62
310 (needs flow indicator)	0.99
320, 320C (needs flow indicator)	1.92
HC-3315	26.4
HC-3330	43.2
HC-3340	89.6

PPG Industries Inc.

[Cal Hypo] N200	6.0
--------------------	-----

[Accu-Tab] 3008	18.0
3012	11.28
3075	64.8
3150	177.6

[Accu-Tab]

(Must be installed with a solution tank)

1030	26.4
3070	64.8
3070AT	64.8
3140	177.6
3140AT	177.6
3500	396.0

Rainbow (now Pentair)

300, 300C (needs flow indicator)	0.99
300-19 (needs flow indicator)	1.61
300-29 (needs flow indicator)	3.39
300-29X (needs flow indicator)	6.62
310 (needs flow indicator)	0.99
320, 320C (needs flow indicator)	1.92

Rola-chem

RC 25X, RCS 252X	1.4
RC 25/50X	11.5
RC 25/52X, RCS 25/52X	11.5
RC 25/53X, RCS 25/53X	11.5
RC 100X	48.0
RC 102X, RCS 102X	48.0
RC 103X, RCS 103X	48.0
RC 500X	96.0
RC 502X, RCS 502X	96.0
RC 503X, RCS 503X	96.0

X = Suffix SC or SP

Stenner (ETL approved)

45MX	50.0
45MHP2	3.0
45M2	10.0
45MHP10	10.0
45MHP22	22.0
45M4	35.0
45M5	50.0
85M1	5.0
85MHP5	5.0
85M2	17.0
85M3	40.0
85MHP40	40.0
85M4	60.0
85M5	85.0
100DM1	6.0
100DMHP5	6.0
100DM2	20.0
100DMHP20	20.0
100DM3	44.0
100DM4	70.0
100DM5	100.0
170DM1	10.0
170DMHP9	10.0
170DM2	34.0
170DMHP34	34.0
170DM3	80.0
170DM4	120.0
170DM5	170.0

Waterway (B&S Plastics)

CCF012 (off line)	1.87
CCF012-W (off line)	1.87
CLC012 (in line)	1.27

CLC012-W (in line) 1.27

**CHLORINE GENERATORS**

Local ordinances prohibit chlorine generators from being installed in the following areas: Santa Clarita, Saugus, Valencia, Newhall, Castaic, Malibu, West Lake Village, Calabasas, Agoura Hills, Hidden Hills, Canyon Country, Stevenson Ranch, Fair Oaks Ranch, Bouquet Canyon, Mint Canyon, Forrest Park, and unincorporated areas of the Antelope Valley. All generators to be sized at 3 lbs/day chlorine with side-stream installations only.

**CHLORINE GENERATORS Output lbs./day as Cl<sub>2</sub>  
Side –stream installations only**

Autopilot Systems Inc.

ST-220	1.92
DIG-220	1.92
PPP-2	5.0
PPP-3	7.5
PPP-4	10.0
PPP-5	12.5
PPP-6	15.0

Biolab

Mineral Springs MS-10	1.45
Mineral Springs MS-11	1.45

Approved units begin with serial no. 0102xxxx  
**Side stream installation only**

Chlorking

CHLOR-.75M	0.75
CHLOR-1.25M	1.25
CHLOR-1.5	1.50
CHOR-2.0M	2.0
CHLOR-2.5M	2.5
CHLOR-3.5	3.5
CHLOR-5.0	5.0
CHLOR-7.5	7.5
CHLOR-10	10.0
CHLOR-15	15.0
CHLOR-25	25.0

Chlormatic

NSF listed units have a beginning serial number of 03072902

CM301	0.625
CM601	1.25
CM601C	1.25
COM25	5.0

Clortec Group

[Severn Trent Water Purification, Inc]

CT-75	75
CT-100	100
CT-150	150
CT-200	200

CT-225	225
CT-300	300
MCT-12	12
MCT-24	24
MCT-36	36

Ecolab Inc.

Pure Comfort	
Pure 2.1	2.0
Pure 2.5	2.5
Pure 3.5	3.5
Pure 5.0	5.0
Pure 7.5	7.5
Pure 10	1.0
Pure 15	15.0
Pure 25	25.0

(Side stream installation only)

Eco-Matic

ESC 16 (COMM160)	0.77
ESC 36 (COMM360)	1.72
ESC 48 (COMM480)	2.12
COMM1200	6.3
COMM2400	12.7
COMM4000	21.1

**Side-stream installations only**

Hayward - Goldline

Aqua Rite	1.45
Aqua Rite-X280	1.45
Aqua Rite-X281	1.45
Aqua Rite XL	1.45
Aqua Rite Logic	1.45
Naturesoft	1.45
SwimPure	1.45

Approved units begin with serial no. 0102xxxx  
**Side stream installation only**

Jandy

AquaPure700	0.625
AquaPure 1400	1.25

Pebble Technology

Naturesoft1.45  
Approved units begin with serial no. 0102xxxx  
**Side-stream installation only**

Pentair

[IntelliChlor]	
CIC60	1.97

**Side-stream installation only**

Pool Thing

C260C1.06	
C390C1.58	
C520C2.11	
Side-stream installations only	

TMI Salt Pure Corporation

X-SCG	1.72
2X-SCG	2.12

X-LCG	6.30
2X-LCG	12.70
3X-LCG	21.10

**Side-stream installations only**

**GAS CHLORINATORS**

Capital Controls

Advance 200 series  
(Must have anti-siphon type injector)

Wallace & Tiernan  
(Must have anti-siphon type injector)  
(No longer available for new installations)

V-75VSP  
V-100ASP

**BROMINATORS**

Output  
Lbs/day as Br<sub>2</sub>

**All bromine feeders must have a flow indicator device**

Biolab Inc.

25163	3.98
25165	9.27
25167	24.8
25168	49.1
25169	90.4

[Vantage (Aquabrome)]

CR8.14	1.94
CR8.19	3.98
CR8.28	6.54
CR8.35	9.27
CR8.45	13.0
CR10.47	24.8
CR13.54	49.1
CR16.65	90.4
CR21.62	147

[Guardex]

6 X 420	3.98
6 X 425	9.27
6 X 430	24.8
6 X 435	49.1
6 X 445	90.4

Pentair (Rainbow)

300	0.95
300-29X	1.25
302	0.26
320	1.39

**DRAIN COVERS**

**Beginning December 20, 2008 all suction drain covers/grates installed on Los Angeles County public pools, new and existing, must comply with ANSI A112.19.8 – 2007 standards.**

**The following is a list of approved covers complying with ANSI A112.19.8–2007 and/or A112.19.8a-2008 standards.**

	<b>Max. gpm Floor</b>	<b>Max. gpm Wall</b>	
<u>Afras</u>			
ABF-64 (7 3/8" round)	104	64	
ABF-64A (11 1/8" round)	188	160	
<u>AquaStar Pool Products Inc.</u>			
4RND101	90	72	
6HP101 1 1/2"	177	122	
6HP101 2"	224	224	
8AV101 (8" round)	88	70	
8CC100 (8") round	104	76	
8CC101 (8"round)	104	76	
8CCSBAC (8" round)	88	70	
8SBVGB101 (8" round w sump)	88	77	
8SBACVGB101 (8" round w sump)	88	77	
8SBVVGB101 fiberglass	88	77	
914101 (14" x 14")	560	300	
10AVRCFR101 (10" round)	206	96	
10AV101 (10" round)	206	96	
10AVDD101 (10" round)	206	96	
10AVDDSB101 (10" round)	206	96	
10AVDDACSB101	206	96	
1216101 (12" x 12")	474	474	
24101 (24" x 24")	1531	1531	
32CDFL101 (32" channel)	316	208	U <sup>1</sup>
32CAV101 (32" channel)	236	136	U <sup>1</sup>
32CAVV101 (32" channel)	236	136	U <sup>1</sup>
32CDFLV101 (32" channel)	236	136	U <sup>1</sup>
32CDFLAC101 (32" channel)	236	136	U <sup>1</sup>
RFS9101 (9" square retro)	88	70	
RFS12101 (12" square retrp)	206	96	
LP8AVVGB101 (10" round)	100	70	
LP8MH101	NA	70	
LP8SB101 (8" round)	100	70	
LP8SBAC101 (8" round)	100	70	
LP8SBV101 (8" round)	100	70	
LPRFS9101 (9" square retro)	100	70	
R1216101 (12" x 12")	474	474	
R914101 (14" x 14")	560	300	
RLP8AVVGB101 (8" round)	100	70	
RWAV9101 (9" x 9")	224	224	
RWAV12101 (12' x 12")	361	361	
Sun 9101 (9" x 9")	212	128	
Sun 12101 (12" x 12")	280	280	
Sun 18101 (18" x 18")	405	405	
WAV12DDSB101 (12" x 12")	361	361	
WAV9101 (9" X 9" square)	224	224	
WAV12101 (12" X 12" square)	361	361	
WAV18101 (18" X 18" square)	628	628	
WAV24101 (24" X 24" square)	1444	1444	U <sup>1</sup>
<u>BeeSafe Systems</u>			
Model 1 (46" diameter)	792	N/A	
<u>Color Match Pool Fittings Inc.</u>			
8PTD101v (8"round)	76	68	
8AV101v (8" Round)	100	76	
10PTD101v (10" round)	104	96	

10AV101v (10" round)	108	96	
<u>Custom Molded Products</u>			
25508-120 (12"x12")	220	N/A	
25201-000 (5" round)	N/A	170	
25200-200 (5" round)	N/A	172	
25215-000 (6" round)	N/A	190	
25539-700 (7.75 round)	146	N/A	
25539-800 (7.75 round)	146	N/A	
25548-700 (7.75 round)	146	N/A	
25513-700 (7.75 round)	146	N/A	
25513-800 (7.75 round)	146	N/A	
25515-700 (7.75 round)	146	N/A	
25516-700 (7.75 round)	146	N/A	
25517-700 (7.75 round)	146	N/A	
<u>Eureka Manufacturing Co.</u>			
AV20x20	223	N/A	
AV26x26	495	N/A	U <sup>1</sup>
AV32x32	675	N/A	U <sup>1</sup>
AV44x44	975	N/A	U <sup>1</sup>
<u>Hayward Pool Products Inc.</u>			
WG1048E (7 7/8" round)	125	N/A	
WG1048EW (7 7/8" round)	72	72	
WG1031B (9" square)	112	84	
WG1032B (12" square)	256	112	
WG1033B (18" Square)	560	560	
<u>Lawson Aquatics</u>			
MLD_SG-06	44	49	
MLD-SG-0909 (9" square)	261	248	
MLD-FGD-0909 (9" square)	261	248	
MLD-SG-1212 (12" square)	400	340	
MLD-FGD-1212 (12" square)	400	340	
MLD-SG-1818 (18" x 18")	816	712	
MLD-FGD-1818 (18" x 18")	816	712	
FI-SG-1836	2080	1496	
<u>Neptune Benson, Inc.</u>			
AEGIS	1432	1120	
<u>New Water Solutions Inc.</u>			
DS 360 (11" round)	123	123	
DS 360M (11" round)	123	123	
DS 360X (9" square)	160	N/A	
<u>Paddock Pool Equipment Co.</u>			
2020PCDC	1200	N/A	
2020PCGO	1980	1960	
2424PCDC	1420	1420	
2424PCFC	915	915	
<u>Paramount Pool and Spa Systems (approved for installation without sump)</u>			
SDX series			
XXX-162-2212-XX concrete	200	192	
XXX-182-2212-XX fiberglass	200	192	
XXX-192-2212-XX retro	200	192	
(All 10" round)			
<u>Waterway Plastics</u>			
640-2310 (8" round)	100	64	
640-2320 (8" w/sump)	100	64	
640-2420 (8" w/sump)	100	64	
640-2520 (8" w/sump)	100	64	

640-2550 (8" w/sump)	100	64
640-3110 (10" round)	180	100
640-4700 V (9" x 9")	289	198
640-4720 V (12" x 12")	356	N/A
640-4750 V (18" x 18")	540	N/A
SPC-3 V	N/A	180

U<sup>1</sup> = unblockable drain

**Unblockable channel drain covers can only be installed using the applicable pre-manufactured sumps, no "field-made" sumps.**

**FLOOR INLET FITTINGS**

Sta-Rite/Swimquip  
(parent company Pentair)

8417-0000 white 1½" or 2"  
8417-0100 black 1½"

**SPAS, ACRYLIC/GEL COAT**

Appollo

Spa Model # 1700'

Swimming Pool Shell 15' x 24'  
Swimming Pool Shell 15' x 38'

**SPA SHELLS**

(Submit sample of tile. American Olean Swimming Pool Nosing C-701 or its equivalent is approved for spa handhold.)

CAL-8

Essex Aquatics Inc. stainless steel spas  
(In-ground installations require cathodic protection)  
(Slip-resistant material must be specified)

Galaxy Aquatic Inc.

8' x 12' commercial  
8' x 14' commercial  
8' x 18' commercial  
8' x 22' commercial  
Jupiter commercial  
Saturn commercial  
Pluto III commercial  
Venus I  
Venus III

**Therapy pools for installation at medical facilities only**

Therapy Pool 2012  
Therapy Pool 4014  
Therapy Pool 6016  
Therapy Pool 8018

Nespa

**(Standard commercial models only)**

**All commercial spas MUST be outfitted with at least one recirculation drain on the floor of the spa in order to be approved for use in Los Angeles County. Any customization will require IAPMO approval. Standard residential models are not approved for use in Los Angeles County. (Approved models will have the bench that is at a single level.)**

12 ft., 14 ft., 16 ft., 18 ft., 20 ft. Spa  
 Acapulco II  
 Caribbean  
 Imperia II  
 Corsica  
 Kidney  
 7' ft. Round (Previously 6' Round)  
 9' ft. Round (Previously 8' Round)  
 8 ft., Round  
 10 ft. Round

11' Round  
 9' Mirage (Previously the Rimini)  
 11' Mirage  
 13' Mirage (Previously the Rimini)  
 15' Mirage  
 17' Mirage  
 10' Legacy  
 12' Legacy  
 14' Legacy  
 16' Legacy  
 18' Legacy  
 20' Legacy  
 12' Serenity  
 Tahoe

### **SUPPLEMENTAL EQUIPMENT / MATERIALS**

**APPLIED DECK MATERIAL** (approval required for applications on surfaces other than concrete)

All Deck, Environmental Coating Systems

Certi-coat Certified Systems

Deco Crete

Dekra-Kote - Industrial, Mer-Kote Products Inc.  
 (top coat at least 3/16" thick)

Desert Crete Texture

Design Flo-Crete

Dex-o-tex, Weatherware S/S, Crossfield Products Inc.

Dex-o-tex, Crossguard Resistite S/S, Crossfield Products Inc.

Elasto-deck 1000, Pacific Polymers

Elasto Fiberdeck, AVM System 100 (over concrete or AVM Crete 6400)

Elasto-seal deck, Art Deck

Enduro-Kote, Enduro-Kote Products Inc.

Kool Deck-Mortex Manufacturing Co. Inc.

Kool Krete, Multicoat Products

Multi-i-thane system 451-85 mil, Multi Chemical Products

Mult-i-thane System 456-200 mil, Multi Chemical Products

Polydeck 2000, Polycoat

Sundek, Surface Decking Co.

Texcrete

Texture Crete Life Deck Specialty Coatings

Versa-deck - Versatile deck coatings (formerly Dec King-Advance Waterproof Coatings)

**FIBERGLASS SYSTEMS** (plan approval required)

AmericanChem Tech/Inter- Glass

Aqua-Glass

Cross Pool Restorations (CPR)

Fiberflex

Fiberglass

Fibre Tech

Lami-Glass of America

Reichhold

Rhin-O-Coat

**ION GENERATORS** (plan approval required)

Epic Services - Challenger (ETL approved)

Caribbean Clear - all NSF listed models

Superior Aqua Enterprises all NSF listed models

**OZONE GENERATORS** (plan approval required)

<b>Model</b>	<b>Max. Rate</b>	<b>Oxygen Generator</b>
<u>Del Industries</u>		
(CD)		
CD-2	2.0 g/hr	Built-in
CD-5	5.0 g/hr	Built-in
CD-7	7.0 g/hr	Built-in
CD-10	10.0 g/hr	Built-in
CD-15	15.0 g/hr	Built-in
CD-25	25.0 g/hr	Built-in
CD-50	50.0 g/hr	Built-in
CD-75	75.0 g/hr	Built-in
CD-100	100.0 g/hr	Built-in
CD-150	150.0 g/hr	Built-in
CD-200	200.0 g/hr	Built-in
CD-300	300.0 g/hr	Built-in
CD-500	500.0 g/hr	Built-in
CD-1000	1000.0 g/hr	Built-in

MX-600 Mixing Tower

MX-600-CD Mixing Tower

IU-206 Injector

IU-216 Injector

CT-0130 Contact Tank

CT-0200 Contact Tank

CT-0400 Contact Tank

CT-0600 Contact Tank

CT-0800 Contact Tank

CT-2000 Contact Tank

CT-2200 Contact Tank  
CT-2400 Contact Tank

(UV)  
LK-2000

1.5 g/hr      None

**X** Indicates any combination of letters or numbers before or after the model number.