

APPENDIX F

SAMPLE FINISH SCHEDULE

ROOM NAME	FLOOR	COVE BASE 3/8" RADIUS	WALLS	CEILING
Service Area	Smooth quarry tile	4" quarry tile	Gypsum board; smooth; semi-gloss paint Swiss coffee	Drop ceiling; vinyl faced panel; smooth; white
Food Preparation area	Sealed smooth concrete	S3619T Slimfoot ceramic tile	Stainless steel	Drop ceiling; vinyl faced panel; smooth; white
Utensil Washing area	Troweled epoxy monolithic floor - smooth	Continuous smooth epoxy flooring 4" up to the wall	Fiberglass Reinforced Panel (FRP); white	USG ceiling panel; nonfissured; white
Walk-in cooler	Prefabricated smooth s/s floor	6" Stainless steel cove base	Smooth stainless steel	Smooth stainless steel
Food Storage Area	Smooth ceramic tile	4" ceramic tile	Smooth concrete wall; semi-gloss paint; light colored (70% Light Reflectance Value)	Drop ceiling; vinyl faced panel; smooth; white
Janitorial Area	Smooth ceramic tile	4" ceramic tile	Ceramic tile white	Drop ceiling; vinyl faced panel; smooth; white
Restroom	Commercial Grade Sheet Vinyl (.050 inch wear layer thickness) ♦ All seams welded or otherwise sealed to form a continuous surface	Continuous up to the walls, at least 4" forming an integral 3/8" minimum radius cove base	Ceramic tile; light colored (70% Light Reflectance Value)	Drop ceiling; vinyl faced panel; smooth; white