



LAC DPH Health Advisory: Expanding Testing and Universal Source Control

April 22, 2020



*This message is intended for all healthcare providers in Los Angeles County.
Please distribute as appropriate.*

Key Messages

- Molecular testing for SARS CoV-2 is becoming more available. Healthcare providers and systems are encouraged to test more symptomatic persons as resources allow (see *Expanded Testing* below).
- Symptomatic patients who are tested for COVID-19 should be instructed to continue to follow [home isolation](#) instructions, even if the test result is negative. [Guidance](#) is available for patients who test positive or negative in a variety of scenarios.
- The Centers for Disease Control and Prevention (CDC) now recommend universal source control for everyone entering a healthcare facility, regardless of symptoms. (see *Universal Source Control* below). The LAC DPH *Healthcare Personnel Monitoring [Guidance](#)* has been revised accordingly.

Situation Update

LAC DPH has confirmed more than 16,000 COVID-19 cases and more than 700 deaths. Overall, case numbers continue to increase, but [modeling](#) suggests that hospital capacity will meet local needs if physical distancing continues. For this reason, the Safer at Home Health Officer [order](#) was extended until May 15, 2020.

Preliminary findings from a [community seroprevalence study](#) released on April 20 indicate that an estimated ~4% of the county's adult population has antibodies to SARS-CoV-2. This suggests that infections from COVID-19 have been far more widespread in the county than previously thought. In addition, the findings suggest a much lower fatality rate than was estimated based on reported cases of COVID-19. However, given that the vast majority of the population remains susceptible to infection, future efforts to contain the epidemic will require much more expansive diagnostic testing, isolation of cases and quarantine of contacts, and continued strategies to ensure social distancing.

LAC DPH continues to post local [surveillance data](#), [cases by city and community](#), and a summary of [COVID-19 infection in healthcare workers](#).

We sincerely appreciate your work on the front lines during this pandemic.

Diagnostic Testing

Situation Update

In LA County until now, testing has been prioritized for specific groups and settings due to limited test capacity and PPE supplies. The testing landscape is expanding and changing rapidly as many commercial clinical labs, most hospital systems, and many academic centers

are now performing molecular tests for SARS-CoV-2. There are now several molecular tests approved for the point of care (POC) setting. In addition, patient self-collected specimens are now available, thus reducing the need for PPE and the potential for staff exposures. The FDA just authorized the first [patient at-home sample collection](#) that should be available in the near future. The LAC DPH Public Health Laboratory (PHL) continues to test specimens from high priority patients and settings, see [PHL testing criteria](#). The [County of Los Angeles](#) is now offering free drive-up mobile testing to symptomatic persons on a priority basis.

SARS-CoV-2 tests that are used for individual patient care should be authorized by the Food and Drug Administration (FDA) under an Emergency Use Authorization (EUA). To see whether the FDA has issued an EUA for a diagnostic test and the settings where it may be used, click [here](#). Visit the LAC DPH [General Testing Guidelines](#) for more information about diagnostic testing, including cautions regarding the use of serology tests for patient care.

Expanded Testing Recommendations

Healthcare providers and systems are encouraged to expand SARS CoV-2 molecular testing to more patients with symptoms of COVID-19. As facility resources allow, consider using the following testing prioritization scheme:

Highest Priority for Testing

Symptomatic

- Hospitalized patients
- Healthcare workers
- Patients in long-term care facilities
- First responders

Part of outbreak response/contact investigation in high risk settings

- People identified by LAC DPH (who may include asymptomatic residents and staff) in settings such as long-term care facilities, congregate living facilities, correctional facilities

Rationale includes, ensuring optimal care options for all hospitalized patients, lessening the risk of nosocomial infections, and detecting and preventing outbreaks in acute- and subacute-care health facilities and non-healthcare congregate living settings.

Testing is Encouraged

Symptomatic

- Patients 65 years of age and older
- Patients with [underlying conditions](#)

Rationale includes, ensuring that those who are at highest risk of severe disease are promptly identified and appropriately triaged.

Consider Testing

- Symptomatic persons not meeting any the above

As resources allow, test mildly ill individuals to decrease community spread.

