

## REFERENCES

American College of Obstetricians and Gynecologists: Immunization during pregnancy. ACOG Committee Opinion No. 282. *Obstet Gynecol* 2003; 101:207-12.

American Academy of Pediatrics: 2006 Red Book: Report of the Committee on Infectious Diseases. 27th ed. Pickering LK, ed. Elk Grove Village, IL: American Academy of Pediatrics, 2006.

American Public Health Association: Control of Communicable Diseases Manual. 18th ed. Heymann D (ed) Washington, DC: American Public Health Association, 2004.

Centers for Disease Control and Prevention: Epidemiology and Prevention of Vaccine-Preventable Diseases. Atkinson W, Hamborsky J, McIntyre L, Wolfe S, eds. 10th ed. Washington DC: Public Health Foundation, 2007.

Grabenstein, JD: ImmunoFacts: Vaccines & Immunobiologic Drugs. St. Louis, MO.; Wolters Kluwer Health, Inc., 2005.

Physician's Desk Reference, 60th ed. Montvale, NJ: Thompson Healthcare, Inc. 2006.

Plotkin, SA, Orenstein, WA, Offit, PA: Vaccines, 4<sup>th</sup> ed. Philadelphia, PA, Elsevier, Inc. (USA) 2004.

Centers for Disease Control and Prevention: General Recommendations on Immunization Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 2006: 55(RR15); 1-48.

Centers for Disease Control and Prevention: Use of Anthrax Vaccine in the United States: Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 2000:49: RR-15; 1-20.

Centers for Disease Control and Prevention: Notice to Readers: Use of Anthrax Vaccine in Response to Terrorism: Supplemental Recommendations of the Advisory Committee on Immunization Practices. *MMWR* 2002: 51: 45; 1024-1026.

Centers for Disease Control and Prevention: The Role of BCG Vaccine in the Prevention and Control of Tuberculosis in the United States: Joint Statement Advisory Council for the Elimination of Tuberculosis and the Advisory Committee on Immunization Practices (ACIP). *MMWR* 1996: 45: RR-4; 1-18.

Centers for Disease Control and Prevention: Diphtheria, Tetanus, and Pertussis: Recommendations for Vaccine Use and Other Preventive Measures: Recommendations of the Immunization Practices Advisory Committee (ACIP). *MMWR* 1991; 40: RR-10; 1-28.

Centers for Disease Control and Prevention: Pertussis Vaccination: Use of Acellular Pertussis Vaccines Among Infants and Young Children: Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 1997: 46: RR-7: 1-25.

Centers for Disease Control and Prevention: Preventing Tetanus, Diphtheria, and Pertussis Among Adolescents: Use of Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccines: Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 2006: 55: RR-3; 1-34.

Centers for Disease Control and Prevention: Preventing Tetanus, Diphtheria, and Pertussis Among Adults: Use of Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccine. *MMWR* 2006: 55: (RR17); 1-33.

Centers for Disease Control and Prevention: Notice to Readers: FDA Licensure of Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Hepatitis B (Recombinant), and Poliovirus Vaccine Combined, (PEDIARIX™) for Use in Infants. *MMWR* 2003: 52:(10); 203-204.

Centers for Disease Control and Prevention: Haemophilus b Conjugate Vaccines for Prevention of Haemophilus influenzae type b Disease Among Infants and Children Two Months of Age and Older: Recommendations of the Immunization Practices Advisory Committee (ACIP). *MMWR* 1991; 40: RR-1; 1-7.

Centers for Disease Control and Prevention: Recommendations for Use of Haemophilus b Conjugate Vaccines and a Combined Diphtheria, Tetanus, Pertussis, and Haemophilus b Vaccine: Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 1993: 42: RR-13; 1-15.

Centers for Disease Control and Prevention: Update: Prevention of Hepatitis A After Exposure to Hepatitis A Virus and in International Travelers. Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 2007: 56: (41); 1080-1084.

Centers for Disease Control and Prevention: Prevention of Hepatitis A Through Active or Passive Immunization: Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 2006: 55: RR-7; 1-23.

Centers for Disease Control and Prevention: Notice to Readers: FDA Approval of an Alternate Dosing Schedule for a Combined Hepatitis A and B Vaccine (Twinrix®) *MMWR* 2007: 56(40); 1057.

Centers for Disease Control and Prevention: Notice to Readers: FDA Approval for a Combined Hepatitis A and B Vaccine. *MMWR* 2001:50: 37; 806-7.

Centers for Disease Control and Prevention: A Comprehensive Immunization Strategy to Eliminate Transmission of Hepatitis B Virus Infection in the United States Recommendations of the Advisory Committee on Immunization Practices (ACIP) Part II: Immunization of Adults *MMWR* 2006: 55(RR16); 1-25.

Centers for Disease Control and Prevention: A Comprehensive Immunization Strategy to Eliminate Transmission of Hepatitis B Virus Infection in the United States - Part 1: Immunization of Infants, Children, and Adolescents: Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 2005: 54: RR-16; 1-23.

Centers for Disease Control and Prevention: Notice to Readers: Alternate Two-Dose Hepatitis B Vaccination Schedule for Adolescents Aged 11--15 Years. *MMWR* 2000: 49: 12; 261.

Centers for Disease Control and Prevention: Quadrivalent Human Papillomavirus Vaccine Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR* 2007: 56(RR-2); 1-24.

Centers for Disease Control and Prevention: Notice to Readers: Expansion of Use of Live Attenuated Influenza Vaccine (FluMist®) to Children Aged 2--4 Years and Other FluMist Changes for the 2007--08 Influenza Season. *MMWR* 2007: November 23, 2007 / 56(46); 1217-1219

## REFERENCES

- Centers for Disease Control and Prevention: Update: Influenza Activity --- United States and Worldwide, May 20--September 15, 2007. MMWR 2007; 56(38); 1001-1004.
- Centers for Disease Control and Prevention: Prevention and Control of Influenza: Recommendations of the Advisory Committee on Immunization Practices (ACIP). 2008. MMWR, 2008 / Vol. 57 / No. RR-7
- Centers for Disease Control and Prevention: Inactivated Japanese Encephalitis Virus Vaccine: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1993; 42: RR-1; 1-15.
- Centers for Disease Control and Prevention: Measles, Mumps, and Rubella – Vaccine Use and Strategies for Elimination of Measles, Rubella, and Congenital Rubella Syndrome, and Control of Mumps: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1998; 47: RR-8; 1-57.
- Centers for Disease Control and Prevention: Update: Recommendations from the Advisory Committee on Immunization Practices (ACIP) Regarding Administration of Combination MMRV Vaccine. MMWR 2008; March 14, 2008 / 57(10); 258-260
- Centers for Disease Control and Prevention: Notice to Readers: Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP) for the Control and Elimination of Mumps. MMWR 2006; 55 (22); 629-630.
- Centers for Disease Control and Prevention: Notice to Readers: Licensure of a Combined Live Attenuated Measles, Mumps, Rubella, and Varicella Vaccine. MMWR 2005; 54 (47); 1212.
- Centers for Disease Control and Prevention: Notice to Readers: Revised ACIP Recommendation for Avoiding Pregnancy After Receiving a Rubella-Containing Vaccine. MMWR 2001; 50 (49); 1117.
- Centers for Disease Control and Prevention: Notice to Readers: Revised Recommendations of the Advisory Committee on Immunization Practices to Vaccinate All Persons Aged 11--18 Years with Meningococcal Conjugate Vaccine. MMWR 2007; 56(31); 794-795.
- Centers for Disease Control and Prevention: Prevention and Control of Meningococcal Disease: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2005; 54: RR-07; 1-21.
- Centers for Disease Control and Prevention: Report from the Advisory Committee on Immunization Practices (ACIP): Decision Not to Recommend Routine Vaccination of All Children Aged 2--10 Years with Quadrivalent Meningococcal Conjugate Vaccine (MCV4). MMWR 2008; May 2, 2008 / 57(17); 462-465
- Centers for Disease Control and Prevention: Notice to Readers: Recommendation from the Advisory Committee on Immunization Practices (ACIP) for Use of Quadrivalent Meningococcal Conjugate Vaccine (MCV4) in Children Aged 2--10 Years at Increased Risk for Invasive Meningococcal Disease. MMWR 2007; December 7, 2007 / 56(48); 1265-1266
- Centers for Disease Control and Prevention: Control and Prevention of Meningococcal Disease and Control and Prevention of Serogroup C Meningococcal Disease: Evaluation and Management of Suspected Outbreaks: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1997; 46: RR-5; 1-21.
- Centers for Disease Control and Prevention: Guillain-Barré Syndrome Among Recipients of Menactra® Meningococcal Conjugate Vaccine --- United States, June--July 2005. MMWR 2005; 54: 40; 1023-1025.
- Centers for Disease Control and Prevention: Update: Guillain-Barré Syndrome Among Recipients of Menactra® Meningococcal Conjugate Vaccine --- United States, June 2005--September 2006. MMWR 2006; 55(41); 1120-1124.
- Centers for Disease Control and Prevention: Notice to Readers: Revised Recommendations of the Advisory Committee on Immunization Practices to Vaccinate All Persons Aged 11--18 Years with Meningococcal Conjugate Vaccine MMWR 2007; 56: 31; 794-795.
- Centers for Disease Control and Prevention: Preventing Pneumococcal Disease Among Infants and Young Children: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2000; 49: RR-9; 1-38.
- Centers for Disease Control and Prevention: Prevention of Pneumococcal Disease: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1997; 45: RR-8; 1-19.
- Centers for Disease Control and Prevention: Pneumococcal Vaccination for Cochlear Implant Candidates and Recipients: Updated Recommendations of the Advisory Committee on Immunization Practices. MMWR 2003; 52: 31; 739-740.
- Centers for Disease Control and Prevention: Updated Recommendation from the Advisory Committee on Immunization Practices (ACIP) for Use of 7-Valent Pneumococcal Conjugate Vaccine (PCV7) in Children Aged 24--59 Months Who Are Not Completely Vaccinated. MMWR 2008; April 4, 2008 / 57(13);343-344
- Centers for Disease Control and Prevention: Poliomyelitis Prevention in the United States: Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2000; 49: RR-5; 1-22.
- Centers for Disease Control and Prevention: Human Rabies Prevention -United States, 2008: Recommendations of the Advisory Committee on Immunization Practices. MMWR 2008; 57(RR03);1-26,28
- Centers for Disease Control and Prevention: Compendium of Animal Rabies Control 1999: National Association of State Public Health Veterinarians, Inc (NASPHV).. MMWR: April 18, 2008 / 57(RR02); 1-9
- Centers for Disease Control and Prevention: Prevention of Rotavirus Gastroenteritis Among Infants and Children: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2006; 55: RR-12; 1-13.
- Centers for Disease Control and Prevention: Prevention of Pertussis, Tetanus, and Diphtheria Among Pregnant and Postpartum Women and Their Infants Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2008 / 57(RR03);1-26,28

## REFERENCES

- Centers for Disease Control and Prevention: Typhoid Immunization: Recommendations of the Immunization Practices Advisory Committee (ACIP). MMWR 1994; 43: RR-14; 1-7.
- Centers for Disease Control and Prevention: Vaccinia (Smallpox) Vaccine: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2001; 50: RR-10; 1-25.
- Centers for Disease Control and Prevention: Notice to Readers: Newly Licensed Smallpox Vaccine to Replace Old Smallpox Vaccine. MMWR 2008: February 29, 2008/ 57(08);207-208
- Centers for Disease Control and Prevention: Recommendations for Using Smallpox Vaccine in a Pre-Event Vaccination Program: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2003; 52: RR-07; 1-16.
- Centers for Disease Control and Prevention: Prevention of Varicella Recommendations of the Advisory Committee on Immunization Practices (ACIP) MMWR 2007: June 22, 2007: 56(RR-4); 1-40.
- Centers for Disease Control and Prevention: Prevention of Varicella Update: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1999: 48: RR-6; 1-5.
- Centers for Disease Control and Prevention: Prevention of Varicella: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1996: 45: RR-11; 1-25.
- Centers for Disease Control and Prevention: Yellow Fever Vaccine: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2002: 51: RR-17; 1-10.
- Centers for Disease Control and Prevention: Notice to Readers: Fever, Jaundice, and Multiple Organ System Failure Associated With 17D-Derived Yellow Fever Vaccination, 1996--2001. MMWR 2001: 50: 30; 643-5.
- Centers for Disease Control and Prevention: Adverse Events Associated with 17D-Derived Yellow Fever Vaccination - United States, 2001--2002. MMWR 2002: 51: 44; 989-993.
- Centers for Disease Control and Prevention: Update on Adult Immunization: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1991: 40: RR-12; 1-94.
- Centers for Disease Control and Prevention: Immunization of Adolescents: Recommendation of the Advisory Committee on Immunization Practices (ACIP), the American Academy of Pediatrics, the American Academy of Family Physicians, and the American Medical Association. MMWR: 1996: 45: RR-13; 1-16.
- Centers for Disease Control and Prevention: Combination Vaccines for Childhood Immunization: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1999: 48: RR-5; 1-15.
- Centers for Disease Control and Prevention: Update: Vaccine Side Effects, Adverse Reactions, Contraindications, and Precautions: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1996: 45: RR-12; 1-31.
- Centers for Disease Control and Prevention: Use of Vaccines and Immune Globulins in Persons with Altered Immunocompetence: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1993: 42: RR-5; 1-18.
- Centers for Disease Control and Prevention: Health Information for International Travel 2008. Atlanta: US Department of Health and Human Services, Public Health Service, 2007.
- Centers for Disease Control and Prevention: Guidelines for Vaccinating Pregnant Women from Recommendations of the Advisory Committee on Immunization Practices (ACIP) October 1998 (Updated September 2006). 1-9
- National Immunization Program's Website: Vaccine Information Statements Fact Sheet. Centers for Disease Control and Prevention United States Department of Health and Human Services 2006: (<http://www.cdc.gov/nip/publications/VIS/vis-facts.htm#Anc-1>)
- National Immunization Program's Website: VFC Eligibility Screening Documentation Requirements. Centers for Disease Control and Prevention United States Department of Health and Human Services 2006 (<http://www.cdc.gov/vaccines/programs/vfc/providers/elig-scrn-rec-doc-req.htm>)
- Vaccine Adverse Event Reporting System's (VAERS) Website: Frequently Asked Questions About VAERS. United States Department of Health and Human Services 2006 (<http://vaers.hhs.gov/vaers.htm>)
- National Vaccine Injury Compensation Program's (VICP) Website: National Vaccine Injury Compensation Program (VICP). United States Department of Health and Human Services 2006 (<http://www.hrsa.gov/vaccinecompensation>)
- Centers for Disease Control and Prevention: Vaccine Management Recommendations for Storage and Handling of Selected Biologics. United States Department of Health and Human Services November 2007
- Centers for Disease Control and Prevention: Prevention of Herpes Zoster: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2008:57(05);1-30
- Centers for Disease Control and Prevention: Licensure of a Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, and *Haemophilus b* Conjugate Vaccine and Guidance for Use in Infants and Children. MMWR October 3, 2008 / 57(39);1079-1080
- Centers for Disease Control and Prevention: Licensure of a Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed and Inactivated Poliovirus Vaccine and Guidance for Use as a Booster Dose. MMWR October 3, 2008 / 57(39);1078-1079