

REFERENCES

- Centers for Disease Control and Prevention: General Recommendations on Immunization Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2011; 60 (RR2); 1-61.
- Centers for Disease Control and Prevention: Recommended Adult Immunization Schedule - United States, 2011. MMWR: 2011; 60(04); 1-4
- Centers for Disease Control and Prevention: Use of Anthrax Vaccine in the United States: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2010; 59 (RR-06); 1-30.
- Centers for Disease Control and Prevention: Notice to Readers: Use of Anthrax Vaccine in Response to Terrorism: Supplemental Recommendations of the Advisory Committee on Immunization Practices. MMWR: 2002; 51 (45); 1024-1026.
- Centers for Disease Control and Prevention: Licensure of a Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed and Inactivated Poliovirus Vaccine and Guidance for Use as a Booster Dose. MMWR: October 3, 2008; 57 (39); 1078-1079
- Centers for Disease Control and Prevention: Licensure of a Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, and *Haemophilus b* Conjugate Vaccine and Guidance for Use in Infants and Children. MMWR: October 3, 2008; 57 (39); 1079-1080
- Centers for Disease Control and Prevention: Notice to Readers: FDA Approval of Diphtheria and Tetanus Toxoids and Acellular Pertussis Vaccine Adsorbed, (INFANRIX®) for Fifth Consecutive DTaP Vaccine Dose. MMWR: September 26, 2003; 52 (38); 921-921
- Centers for Disease Control and Prevention: Notice to Readers: FDA Licensure of Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Hepatitis B (Recombinant), and Poliovirus Vaccine Combined, (PEDIARIX™) for Use in Infants. MMWR: March 14, 2003; 52(10); 203-204.
- Centers for Disease Control and Prevention: Notice to Readers: Food and Drug Administration Approval of a Fifth Acellular Pertussis Vaccine for Use Among Infants and Young Children – United States, 2002. MMWR: July 5, 2002; 51 (26) ;574
- Centers for Disease Control and Prevention: Use of Diphtheria Toxoid-Tetanus Toxoid-Acellular Pertussis Vaccine as a Five-Dose Series; Supplemental Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: November 17, 2000; 49 (RR-13); 1-8
- Centers for Disease Control and Prevention: Pertussis Vaccination: Use of Acellular Pertussis Vaccines Among Infants and Young Children: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 1997; 46 (RR-07); 1-25.
- Centers for Disease Control and Prevention: Diphtheria, Tetanus, and Pertussis: Recommendations for Vaccine Use and Other Preventive Measures: Recommendations of the Immunization Practices Advisory Committee (ACIP). MMWR: 1991; 40 (RR-10); 1-28.
- Centers for Disease Control and Prevention: Licensure of a *Haemophilus influenzae* Type b (Hib) Vaccine (Hiberix) and Updated Recommendations for Use of Hib Vaccine. MMWR: September 18, 2009; 58 (36); 1008-1009
- Centers for Disease Control and Prevention: Recommendations for Use of *Haemophilus b* Conjugate Vaccines and a Combined Diphtheria, Tetanus, Pertussis, and *Haemophilus b* Vaccine: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 1993; 42 (RR-13); 1-15.
- Centers for Disease Control and Prevention: *Haemophilus b* Conjugate Vaccines for Prevention of *Haemophilus influenzae* type b Disease Among Infants and Children Two Months of Age and Older: Recommendations of the Immunization Practices Advisory Committee (ACIP). MMWR: 1991; 40 (RR-01); 1-7.
- Centers for Disease Control and Prevention: Updated Recommendations from the Advisory Committee on Immunization Practices (ACIP) for Use of Hepatitis A Vaccine in Close Contacts of Newly Arriving International Adoptees. MMWR: 2009; 59: (36); 1006-1007.
- Centers for Disease Control and Prevention: Update: Prevention of Hepatitis A After Exposure to Hepatitis A Virus and in International Travelers. Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2007; 56: (41); 1080-1084.
- Centers for Disease Control and Prevention: Notice to Readers: FDA Approval of an Alternate Dosing Schedule for a Combined Hepatitis A and B Vaccine (Twinrix®) MMWR: October 12, 2007; 56 (40); 1057.
- Centers for Disease Control and Prevention: Prevention of Hepatitis A Through Active or Passive Immunization: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2006; 55 (RR-07); 1-23.
- Centers for Disease Control and Prevention: Notice to Readers: FDA Approval of Havrix® (Hepatitis A Vaccine, Inactivated) for Persons Aged 1--18 Years. MMWR: December 9, 2005; 54 (48); 1235-1236
- Centers for Disease Control and Prevention: Notice To Readers: FDA Approval of VAQTA® (Hepatitis A Vaccine, Inactivated) for Children Aged >1 Year. MMWR: October 14, 2005; 54 (40);1026
- Centers for Disease Control and Prevention: Notice to Readers: FDA Approval for a Combined Hepatitis A and B Vaccine. MMWR: September 21, 2001; 50 (37); 806-7.
- Centers for Disease Control and Prevention: A Comprehensive Immunization Strategy to Eliminate Transmission of Hepatitis B Virus Infection in the United States Recommendations of the Advisory Committee on Immunization Practices (ACIP) Part II: Immunization of Adults. MMWR: 2006; 55 (RR-16); 1-25.
- Centers for Disease Control and Prevention: A Comprehensive Immunization Strategy to Eliminate Transmission of Hepatitis B Virus Infection in the United States - Part 1: Immunization of Infants, Children, and Adolescents: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2005; 54 (RR-16); 1-23.
- Centers for Disease Control and Prevention: Notice to Readers: Alternate Two-Dose Hepatitis B Vaccination Schedule for Adolescents Aged 11--15 Years. MMWR: March 31, 2000; 49 (12); 261
- Centers for Disease Control and Prevention: FDA Licensure of Bivalent Human Papillomavirus Vaccine (HPV2, Cervarix) for Use in Females and Updated HPV

REFERENCES

Vaccination Recommendations from the Advisory Committee on Immunization Practices (ACIP). MMWR: May 28, 2010; 59 (20); 626-629

Centers for Disease Control and Prevention: FDA Licensure of Quadrivalent Human Papillomavirus Vaccine (HPV4, Gardasil) for Use in Males and Guidance from the Advisory Committee on Immunization Practices (ACIP). MMWR: May 28, 2010; 59 (20); 630-632

Centers for Disease Control and Prevention: Quadrivalent Human Papillomavirus Vaccine Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2007; 56 (RR-02); 1-24.

Centers for Disease Control and Prevention: Update: Recommendations of the Advisory Committee on Immunization Practices (ACIP) Regarding Use of CSL Seasonal Influenza Vaccine (Afluria) in the United States During 2010–11. MMWR: August 13, 2010; 59 (31); 989-992

Centers for Disease Control and Prevention: Prevention and Control of Influenza: Recommendations of the Advisory Committee on Immunization Practices (ACIP). 2010. MMWR: August 6, 2010; 59 (RR-08); 1-62

Centers for Disease Control and Prevention: Licensure of a High-Dose Inactivated Influenza Vaccine for Persons Aged ≥65 Years (Fluzone High-Dose) and Guidance for Use -- United States, 2010. MMWR: April 30, 2010; 59 (16); 485-486

Centers for Disease Control and Prevention: Notice to Readers: Expansion of Use of Live Attenuated Influenza Vaccine (FluMist®) to Children Aged 2--4 Years and Other FluMist Changes for the 2007--08 Influenza Season. MMWR: 2007; November 23, 2007; 56 (46); 1217-1219

Centers for Disease Control and Prevention: Recommended immunization schedules for persons aged 0--18 years--United States, 2011. MMWR 2011;60(5).

Centers for Disease Control and Prevention: Japanese Encephalitis Vaccines, Recommendations of the Advisory Committee on Immunization Practices (ACIP) Recommendations and Reports. MMWR: March 12, 2010; 59 (RR-01); 1-27

Centers for Disease Control and Prevention: Notice to Readers: Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP) for the Control and Elimination of Mumps. MMWR: 2006; 55 (22); 629-630.

Centers for Disease Control and Prevention: Notice to Readers: Revised ACIP Recommendation for Avoiding Pregnancy After Receiving a Rubella-Containing Vaccine. MMWR: 2001; 50 (49); 1117.

Centers for Disease Control and Prevention: Measles, Mumps, and Rubella – Vaccine Use and Strategies for Elimination of Measles, Rubella, and Congenital Rubella Syndrome, and Control of Mumps: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 1998; 47 (RR-08); 1-57.

Centers for Prevention and Control: Use of Combination Measles, Mumps, Rubella, and Varicella Vaccine, Recommendations of the Advisory Committee on Immunization Practices (ACIP) MMWR: May 7, 2010; 59 (RR-03); 1-12

Centers for Disease Control and Prevention: Update: Recommendations from the Advisory Committee on Immunization Practices (ACIP) Regarding Administration of Combination MMRV Vaccine. MMWR: March 14, 2008; 57 (10); 258-260

Centers for Disease Control and Prevention: Notice to Readers: Licensure of a Combined Live Attenuated Measles, Mumps, Rubella, and Varicella Vaccine. MMWR: December 2, 2005; 54 (47); 1212.

FDA U.S. Food and Drug Administration: January 28, 2011 Approval Letter – Menveo. www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm242237.htm

Centers for Disease Control and Prevention: Updated Recommendations for Use of Meningococcal Conjugate Vaccines — Advisory Committee on Immunization Practices (ACIP), 2010. MMWR: January 28, 2011 / Vol. 60 / No. 3; 72-76

Centers for Disease Control and Prevention: Licensure of a Meningococcal Conjugate Vaccine (Menveo) and Guidance for Use; Advisory Committee on Immunization Practices (ACIP). MMWR: March 12, 2010; 59 (09); 273

Centers for Disease Control and Prevention: Updated Recommendation from the Advisory Committee on Immunization Practices (ACIP) for Revaccination of Persons at Prolonged Increased Risk for Meningococcal Disease. MMWR: September 25, 2009; 58 (37); 1042-1043

Centers for Disease Control and Prevention: Report from the Advisory Committee on Immunization Practices (ACIP): Decision Not to Recommend Routine Vaccination of All Children Aged 2--10 Years with Quadrivalent Meningococcal Conjugate Vaccine (MCV4). MMWR: May 2, 2008; 57 (17); 462-465

Centers for Disease Control and Prevention: Notice to Readers: Recommendation from the Advisory Committee on Immunization Practices (ACIP) for Use of Quadrivalent Meningococcal Conjugate Vaccine (MCV4) in Children Aged 2--10 Years at Increased Risk for Invasive Meningococcal Disease. MMWR: December 7, 2007; 56 (48); 1265-1266

Centers for Disease Control and Prevention: Notice to Readers: Revised Recommendations of the Advisory Committee on Immunization Practices to Vaccinate All Persons Aged 11--18 Years with Meningococcal Conjugate Vaccine. MMWR: 2007; 56 (31); 794-795.

Centers for Disease Control and Prevention: Prevention and Control of Meningococcal Disease: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2005; 54 (RR-07); 1-21.

Centers for Disease Control and Prevention: Control and Prevention of Meningococcal Disease and Control and Prevention of Serogroup C Meningococcal Disease: Evaluation and Management of Suspected Outbreaks: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 1997; 46 (RR-05); 1-21.

Centers for Disease Control and Prevention: Prevention of Pneumococcal Disease Among Infants and Children – Use of the 13-Valent Pneumococcal Conjugate Vaccine and 23-Valent Pneumococcal Polysaccharide Vaccine Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: December 10, 2010; 59 (RR-11); 1-15.

REFERENCES

- Centers for Disease Control and Prevention: Licensure of a 13-Valent Pneumococcal Conjugate Vaccine (PCV13) and Recommendations for Use Among Children -- Advisory Committee on Immunization Practices (ACIP), 2010. MMWR: March 12, 2010; 59 (09); 258-261
- Centers for Disease Control and Prevention: Updated Recommendation from the Advisory Committee on Immunization Practices (ACIP) for Use of 7-Valent Pneumococcal Conjugate Vaccine (PCV7) in Children Aged 24--59 Months Who Are Not Completely Vaccinated. MMWR: April 4, 2008; 57 (13); 343-344
- Centers for Disease Control and Prevention: Pneumococcal Vaccination for Cochlear Implant Candidates and Recipients: Updated Recommendations of the Advisory Committee on Immunization Practices. MMWR: August 8, 2003; 52: (31); 739-740.
- Centers for Disease Control and Prevention: Preventing Pneumococcal Disease Among Infants and Young Children: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2000; 49 (RR-09); 1-38.
- Centers for Disease Control and Prevention: Updated Recommendations for Prevention of Invasive Pneumococcal Disease Among Adults Using the 23-Valent Pneumococcal Polysaccharide Vaccine (PPSV23. MMWR: September 3, 2010; 59 (34); 1102-1106
- Centers for Disease Control and Prevention: Prevention of Pneumococcal Disease: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 1997; 45 (RR-08); 1-19.
- Centers for Disease Control and Prevention: Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP) Regarding Routine Poliovirus Vaccination. MMWR: August 7, 2009; 58 (30); 829-830
- Centers for Disease Control and Prevention: Poliomyelitis Prevention in the United States: Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: May 9, 2000; 49: (RR-05); 1-22.
- Centers for Disease Control and Prevention: Use of a Reduced (4-Dose) Vaccine Schedule for Postexposure Prophylaxis to Prevent Human Rabies, Recommendations of the Advisory Committee on Immunization Practices. MMWR: March 19, 2010; 59 (RR-02); 1-9
- Centers for Disease Control and Prevention: Human Rabies Prevention -United States, 2008: Recommendations of the Advisory Committee on Immunization Practices. MMWR: May 23, 2008; 57 (RR-03); 1-26, 28
- Centers for Disease Control and Prevention: Compendium of Animal Rabies Control 1999: National Association of State Public Health Veterinarians, Inc (NASPHV). MMWR: April 18, 2008; 57 (RR-02); 1-9
- Centers for Disease Control and Prevention : Statement Regarding Rotarix® and RotaTeq® Rotavirus Vaccines and Intussusception, November 2010: <http://cdc.gov/vaccines/vpd-vac/rotavirus/intussusception-studies-acip.htm>.
- Centers for Disease Control and Prevention: Addition of Severe Combined Immunodeficiency as a Contraindication for Administration of Rotavirus Vaccine. MMWR: June 11, 2010; 59 (22); 687-688.
- Centers for Disease Control and Prevention: Prevention of Rotavirus Gastroenteritis Among Infants and Children: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: February 6, 2009; 58 (RR-02); 1-25.
- Centers for Disease Control and Prevention: Updated Recommendations for Use of Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis (Tdap) Vaccine from the Advisory Committee on Immunization Practices, 2010. MMWR: January 14, 2011 / 60(01); 13-15
- Centers for Disease Control and Prevention: Prevention of Pertussis, Tetanus, and Diphtheria Among Pregnant and Postpartum Women and Their Infants Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2008; 57 (RR-03); 1-26, 28
- Centers for Disease Control and Prevention: Preventing Tetanus, Diphtheria, and Pertussis Among Adults: Use of Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccine. MMWR: 2006; 55: (RR-17); 1-33.
- Centers for Disease Control and Prevention: Preventing Tetanus, Diphtheria, and Pertussis Among Adolescents: Use of Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccines: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 2006; 55 (RR-03); 1-34.
- Centers for Disease Control and Prevention: Typhoid Immunization: Recommendations of the Immunization Practices Advisory Committee (ACIP). MMWR: 1994; 43 (RR-14); 1-7.
- Centers for Disease Control and Prevention: Notice to Readers: Newly Licensed Smallpox Vaccine to Replace Old Smallpox Vaccine. MMWR: February 29, 2008; 57 (08); 207-208
- Centers for Disease Control and Prevention: Recommendations for Using Smallpox Vaccine in a Pre-Event Vaccination Program: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: April 4, 2003; 52 (RR-07); 1-16.
- Centers for Disease Control and Prevention: Notice to Readers: National Smallpox Vaccine in Pregnancy Registry. MMWR: March 28, 2003; 52 (12); 256
- Centers for Disease Control and Prevention: Vaccinia (Smallpox) Vaccine: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: June 22, 2001; 50 (RR-10); 1-25.
- Centers for Disease Control and Prevention: Prevention of Varicella Recommendations of the Advisory Committee on Immunization Practices (ACIP) MMWR 2007: June 22, 2007: 56 (RR-04); 1-40.
- Centers for Disease Control and Prevention: Yellow Fever Vaccine: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: July 30, 2010; 59 (RR-07); 1-27
- Centers for Disease Control and Prevention: Notice to Readers: Requirements for Use of a New International Certificate of Vaccination or Prophylaxis for Yellow Fever Vaccine. MMWR: Jan 4, 2008; 56 (51); 1345-1346
- Centers for Disease Control and Prevention: Prevention of Herpes Zoster: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: June 6, 2008; 57 (05); 1-30

REFERENCES

Centers for Disease Control and Prevention: Use of Vaccines and Immune Globulins in Persons with Altered Immunocompetence: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR: 1993; 42 (RR-05); 1-18.

Centers for Disease Control and Prevention: Health Information for International Travel 2010. Atlanta: US Department of Health and Human Services, Public Health Service, 2010.

Centers for Disease Control and Prevention: Guidelines for Vaccinating Pregnant Women from Recommendations of the Advisory Committee on Immunization Practices (ACIP) October 1998 (Updated September 2006). 1-9

National Immunization Program's Website: Vaccine Information Statements Fact Sheet. Centers for Disease Control and Prevention United States Department of Health and Human Services 2006: (<http://www.cdc.gov/nip/publications/VIS/vis-facts.htm#Anc-1>)

National Immunization Program's Website: VFC Eligibility Screening Documentation Requirements. Centers for Disease Control and Prevention United States Department of Health and Human Services: <http://www.cdc.gov/vaccines/programs/vfc/providers/elig-scrn-rec-doc-reg.htm>

Vaccine Adverse Event Reporting System (VAERS) Website: United States Department of Health and Human Services: <http://www.cdc.gov/vaccinesafety/Activities/vaers.html>

National Vaccine Injury Compensation Program's (VICP) Website: National Vaccine Injury Compensation Program (VICP). United States Department of Health and Human Services 2006: <http://www.hrsa.gov/vaccinecompensation>

Centers for Disease Control and Prevention: Vaccine Management Recommendations for Storage and Handling of Selected Biologics. United States Department of Health and Human Services November 2007

Centers for Disease Control and Prevention: Guidelines for Vaccinating Pregnant Women from Recommendations of the Advisory Committee on Immunization Practices (ACIP). October 1998 (Updated May 2007)

American College of Obstetricians and Gynecologists: Immunization during pregnancy. ACOG Committee Opinion No. 282. Obstet Gynecol 2003; 101:207-12.

American Academy of Pediatrics: 2009 Red Book: Report of the Committee on Infectious Diseases. 28th ed. Pickering LK, ed. Elk Grove Village, IL: American Academy of Pediatrics, 2009.

Centers for Disease Control and Prevention: Epidemiology and Prevention of Vaccine-Preventable Diseases. Atkinson W, Wolfe S, Hamborsky J, McIntyre L, eds. 11th ed. Washington DC: Public Health Foundation, 2009.

Physician's Desk Reference, 60th ed. Montvale, NJ: Thompson Healthcare, Inc. 2006.