CENTERS FOR MEDICARE & MEDICAID SERVICES

CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF COMPLIANCE

LABORATORY NAME AND ADDRESS
LOS ANGELES COUNTY PUBLIC HEALTH LABOR
12750 ERICKSON AVE
DOWNEY, CA 90242-4024

CLIA ID NUMBER
05D1066369

EFFECTIVE DATE
04/11/2018

LABORATORY DIRECTOR
NICOLE M GREEN PHD DIRECTOR

EXPIRATION DATE
04/10/2020

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.

Karen W. Dyer, Acting Director
Division of Laboratory Services
Survey and Certification Group
Center for Clinical Standards and Quality

246 certs2_050818

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE)	EFFECTIVE DATE
BACTERIOLOGY (110)	04/11/2008
MYCOBACTERIOLOGY (115)	04/11/2008
MYCOLOGY (120)	04/11/2008
PARASITOLOGY (130)	04/11/2008
VIROLOGY (140)	04/11/2008
SYPHILIS SEROLOGY (210)	04/11/2008
GENERAL IMMUNOLOGY (220)	04/11/2008
TOXICOLOGY (340)	05/07/2010

LAB CERTIFICATION (CODE)	EFFECTIVE DATE

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.



State of California—Health and Human Services Agency

California Department of Public Health

SONIA Y. ANGELL, MD, MPH
State Public Health Officer & Director

GAVIN NEWSOM
Governor

February 4, 2020

Nicole Green, Laboratory Director
LOS ANGELES COUNTY PUBLIC HEALTH LABORATORY
12750 Erickson Ave
Downey, CA 90242

RE: VERIFICATION OF CERTIFICATION
CLIA Number: 05D 1066369

Dear Dr. Green,

The entity listed at the above address is currently certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA) program with a certificate of Certificate of Compliance and continues to meet all the appropriate regulatory requirements until a survey is completed.

This letter is proof, until such time that all other appropriate documents are issued, that the above stated entity continues to participate in the CLIA program.

If you have any questions regarding this letter, please call Donna McCallum at (213) 620-6570.

Sincerely,

Donna McCallum
Section Chief, CLIA
Department of Public Health
Laboratory Field Services