


Family Planning Practices: Unwanted pregnancy/mistimed by mother

The 2010 LAMB Survey asked mothers how they felt about becoming pregnant just before they got pregnant with their new baby.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		48.4	46.6	50.3	3,119	62,534
Race/Ethnicity	White	23.9	21.5	26.3	527	5,528
	Hispanic	57.4	54.7	60.1	1,361	45,075
	Black	60.1	56.6	63.6	681	6,201
	Asian/PI	33.4	30.2	36.5	422	5,234
Maternal Age	<20 Years old	80.0	77.6	82.5	1,076	9,196
	20-24 years old	64.8	60.3	69.2	564	16,226
	25-34 years old	41.9	39.3	44.5	1,111	27,991
	35+ years old	35.4	31.5	39.2	368	9,120
Household Income	<\$20,000	60.0	56.5	63.5	1,147	22,977
	\$20,000-\$39,999	56.0	51.7	60.3	577	13,820
	\$40,000-\$59,999	48.5	42.4	54.7	256	5,578
	\$60,000-\$99,999	25.0	20.6	29.3	204	3,485
	\$100,000 and more	16.9	13.8	20.0	169	2,931
Marital Status	Married	33.3	31.0	35.6	993	23,937
	Never Married-Living together	63.1	59.7	66.6	1,129	23,125
	Unmarried/Not living with partner	76.1	72.3	79.9	962	14,569
Education	Less than High School	65.2	61.2	69.2	845	19,829
	High School	59.3	55.4	63.2	885	18,305
	Greater than High School	35.8	33.5	38.1	1,300	23,293
Birth Outcome	Preterm	51.0	44.9	57.0	302	6,200
	Low Birth Weight	47.4	40.6	54.2	214	4,511

Note: Respondents who answered, 'I wanted to be pregnant later' or, 'I didn't want to be pregnant then or any time in the future,' were coded as 'Unintended or mistimed.' Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Family Planning Practices: Unwanted pregnancy by partner

The 2010 LAMB Survey asked mothers how their husband or partner felt about them becoming pregnant, just before they got pregnant with their new baby.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		31.9	30.2	33.6	2,005	41,040
Race/Ethnicity	White	20.5	18.2	22.9	412	4,748
	Hispanic	36.9	34.3	39.5	840	28,946
	Black	32.7	29.3	36.0	370	3,340
	Asian/PI	23.2	20.4	26.0	289	3,634
Maternal Age	<20 Years old	45.6	42.5	48.7	607	5,209
	20-24 years old	46.6	41.9	51.2	380	11,554
	25-34 years old	26.7	24.4	29.0	752	17,878
	35+ years old	24.9	21.4	28.4	266	6,399
Household Income	<\$20,000	36.3	33.0	39.7	665	13,860
	\$20,000-\$39,999	37.7	33.5	42.0	403	9,293
	\$40,000-\$59,999	37.2	31.2	43.1	202	4,324
	\$60,000-\$99,999	21.0	16.9	25.0	164	2,914
	\$100,000 and more	14.0	11.1	16.9	138	2,425
Marital Status	Married	24.4	22.2	26.5	740	17,525
	Never Married-Living together	41.1	37.6	44.6	710	15,027
	Unmarried/Not living with partner	41.5	37.2	45.9	534	7,932
Education	Less than High School	40.6	36.5	44.6	473	12,266
	High School	35.4	31.7	39.2	533	10,922
	Greater than High School	26.2	24.1	28.3	944	17,036
Birth Outcome	Preterm	28.1	22.8	33.5	182	3,413
	Low Birth Weight	24.1	18.8	29.5	135	2,318

Note: Respondents who answered, 'He wanted me to be pregnant later' or 'He didn't want me to be pregnant then or any time in the future' were coded as 'Unwanted pregnancy by partner.' Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Family Planning Practices: Using birth control when they became pregnant

The 2010 LAMB Survey asked mothers if they or their husband or partner were using any method of birth control when they got pregnant.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		27.8	26.2	29.5	1,721	36,244
Race/Ethnicity	White	15.3	13.3	17.4	327	3,558
	Hispanic	31.9	29.4	34.4	698	25,411
	Black	27.2	24.1	30.3	313	2,805
	Asian/PI	26.4	23.4	29.4	297	4,115
Maternal Age	<20 Years old	33.2	30.4	36.1	448	3,799
	20-24 years old	34.3	29.9	38.7	293	8,608
	25-34 years old	26.6	24.3	28.9	756	18,010
	35+ years old	22.4	18.9	25.8	224	5,827
Household Income	<\$20,000	32.5	29.2	35.8	593	12,554
	\$20,000-\$39,999	33.7	29.5	37.8	354	8,370
	\$40,000-\$59,999	33.1	27.2	38.9	181	3,815
	\$60,000-\$99,999	16.9	13.2	20.6	138	2,368
	\$100,000 and more	10.8	8.3	13.4	113	1,869
Marital Status	Married	22.6	20.5	24.7	703	16,457
	Never Married-Living together	34.6	31.2	38.0	566	12,816
	Unmarried/Not living with partner	34.7	30.5	38.9	438	6,596
Education	Less than High School	34.9	31.0	38.8	391	10,839
	High School	29.2	25.7	32.8	421	9,146
	Greater than High School	23.7	21.7	25.7	859	15,481
Birth Outcome	Preterm	28.0	22.6	33.4	161	3,418
	Low Birth Weight	22.8	17.2	28.3	110	2,179

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Family Planning Practices: Received fertility treatment

The 2010 LAMB Survey asked mothers if a doctor helped them become pregnant with their new baby (such as fertility-enhancing drugs, insemination, or in-vitro fertilization).

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		4.2	3.5	4.9	289	5,536
Race/Ethnicity	White	8.9	6.9	10.9	110	2,069
	Hispanic	2.4	1.6	3.3	42	1,961
	Black	*0.8	0.1	1.5	9	86
	Asian/PI	8.4	6.7	10.1	107	1,331
Maternal Age	<20 Years old	*1.1	0.5	1.7	15	124
	20-24 years old	*1.3	0.4	2.2	12	332
	25-34 years old	3.9	2.9	4.8	115	2,631
	35+ years old	9.3	7.4	11.3	147	2,449
Household Income	<\$20,000	*1.9	0.9	2.8	30	722
	\$20,000-\$39,999	*1.6	0.6	2.7	20	406
	\$40,000-\$59,999	*3.6	1.5	5.6	20	413
	\$60,000-\$99,999	8.4	5.6	11.3	61	1,177
	\$100,000 and more	11.4	8.9	13.8	125	1,981
Marital Status	Married	6.4	5.3	7.4	241	4,652
	Never Married-Living together	*1.3	0.6	2.0	24	475
	Unmarried/Not living with partner	*1.4	0.4	2.4	20	278
Education	Less than High School	*2.1	0.8	3.3	20	652
	High School	*2.0	0.9	3.1	23	621
	Greater than High School	6.2	5.1	7.2	228	4,065
Birth Outcome	Preterm	9.5	5.9	13.0	51	1,168
	Low Birth Weight	13.6	8.7	18.4	50	1,317


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Family Planning Practices: Ever used emergency contraception

The 2010 LAMB Survey asked mothers if before they got pregnant with their new baby, had they ever used emergency contraception (the “morning-after pill”).

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		16.4	15.0	17.7	1,110	21,307
Race/Ethnicity	White	17.0	14.7	19.2	284	3,960
	Hispanic	16.8	14.8	18.8	386	13,302
	Black	17.2	14.7	19.7	212	1,809
	Asian/PI	12.2	10.1	14.4	154	1,925
Maternal Age	<20 Years old	19.6	17.2	22.0	260	2,237
	20-24 years old	25.1	21.1	29.2	214	6,371
	25-34 years old	15.4	13.6	17.3	499	10,419
	35+ years old	8.8	6.8	10.8	137	2,281
Household Income	<\$20,000	16.5	13.9	19.1	319	6,404
	\$20,000-\$39,999	18.7	15.3	22.0	206	4,674
	\$40,000-\$59,999	17.9	13.2	22.7	103	2,097
	\$60,000-\$99,999	15.2	11.6	18.7	125	2,128
	\$100,000 and more	18.4	15.4	21.5	199	3,211
Marital Status	Married	12.7	11.1	14.2	496	9,231
	Never Married-Living together	20.6	17.7	23.4	362	7,596
	Unmarried/Not living with partner	21.6	17.8	25.3	240	4,140
Education	Less than High School	8.0	5.9	10.1	123	2,440
	High School	16.8	13.9	19.7	251	5,265
	Greater than High School	19.9	18.0	21.9	686	13,131
Birth Outcome	Preterm	12.6	8.6	16.6	79	1,556
	Low Birth Weight	11.7	7.3	16.2	55	1,129

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.