


Medical Conditions During Pregnancy: Labor pain 3 weeks before due date

The 2010 LAMB Survey asked mothers if they had labor that began too soon (labor pains more than 3 weeks before their baby was due).

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		16.2	14.8	17.5	936	21,258
Race/Ethnicity	White	11.4	9.4	13.4	193	2,654
	Hispanic	18.1	16.0	20.2	347	14,525
	Black	21.4	18.4	24.4	225	2,258
	Asian/PI	10.2	8.2	12.1	122	1,607
Maternal Age	<20 Years old	15.2	13.0	17.5	200	1,751
	20-24 years old	18.1	14.5	21.7	153	4,627
	25-34 years old	16.2	14.3	18.2	423	11,065
	35+ years old	14.5	11.6	17.3	160	3,816
Household Income	<\$20,000	21.1	18.2	24.0	328	8,164
	\$20,000-\$39,999	15.1	12.0	18.3	162	3,814
	\$40,000-\$59,999	16.9	12.0	21.8	78	1,977
	\$60,000-\$99,999	12.1	8.5	15.7	84	1,700
	\$100,000 and more	10.1	7.8	12.4	115	1,763
Marital Status	Married	14.4	12.6	16.2	430	10,524
	Never Married-Living together	16.7	14.0	19.3	269	6,252
	Unmarried/Not living with partner	20.8	17.1	24.5	226	4,064
Education	Less than High School	16.2	13.2	19.1	197	5,093
	High School	19.5	16.3	22.7	227	6,124
	Greater than High School	14.5	12.8	16.3	479	9,570
Birth Outcome	Preterm	51.0	45.0	57.1	279	6,313
	Low Birth Weight	52.3	45.5	59.0	230	5,081

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: High blood pressure

The 2010 LAMB Survey asked mothers if they had high blood pressure (such as high blood pressure caused by pregnancy, preeclampsia, or toxemia) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		11.6	10.4	12.7	739	15,183
Race/Ethnicity	White	8.8	7.0	10.5	163	2,043
	Hispanic	12.1	10.4	13.9	235	9,744
	Black	19.2	16.4	22.0	205	2,012
	Asian/PI	7.8	6.1	9.5	102	1,238
Maternal Age	<20 Years old	11.6	9.7	13.5	170	1,334
	20-24 years old	12.9	9.8	16.0	110	3,267
	25-34 years old	10.8	9.2	12.5	294	7,361
	35+ years old	12.2	9.7	14.8	165	3,221
Household Income	<\$20,000	14.0	11.6	16.5	256	5,424
	\$20,000-\$39,999	12.2	9.2	15.2	115	3,096
	\$40,000-\$59,999	14.3	9.9	18.7	77	1,676
	\$60,000-\$99,999	7.9	5.6	10.1	79	1,105
	\$100,000 and more	8.6	6.2	11.0	86	1,497
Marital Status	Married	9.8	8.3	11.3	316	5,497
	Never Married-Living together	13.0	10.6	15.5	228	4,867
	Unmarried/Not living with partner	15.5	12.3	18.8	189	3,040
Education	Less than High School	12.2	9.6	14.8	167	3,801
	High School	14.0	11.2	16.8	182	4,386
	Greater than High School	10.3	8.8	11.7	363	6,764
Birth Outcome	Preterm	21.0	16.1	25.9	128	2,571
	Low Birth Weight	26.9	20.8	33.0	114	2,633

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Gestational diabetes

The 2010 LAMB Survey asked mothers if they had high blood sugar (gestational diabetes) that started during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		12.4	11.2	13.6	699	16,273
Race/Ethnicity	White	7.0	5.5	8.5	115	1,641
	Hispanic	13.1	11.3	15.0	231	10,536
	Black	9.5	7.4	11.7	100	1,002
	Asian/PI	18.7	16.2	21.3	221	2,970
Maternal Age	<20 Years old	5.0	3.7	6.3	67	579
	20-24 years old	7.2	4.7	9.7	56	1,828
	25-34 years old	12.7	10.9	14.5	334	8,652
	35+ years old	19.7	16.6	22.7	242	5,215
Household Income	<\$20,000	12.4	10.1	14.8	181	4,821
	\$20,000-\$39,999	14.1	11.0	17.1	142	3,544
	\$40,000-\$59,999	15.5	10.8	20.1	73	1,809
	\$60,000-\$99,999	12.5	9.2	15.7	100	1,753
	\$100,000 and more	9.0	6.9	11.0	103	1,567
Marital Status	Married	13.1	11.5	14.7	421	9,561
	Never Married-Living together	12.1	9.8	14.5	176	4,548
	Unmarried/Not living with partner	10.0	7.2	12.8	98	1,953
Education	Less than High School	14.5	11.5	17.5	124	4,554
	High School	12.4	9.8	15.0	146	3,902
	Greater than High School	11.2	9.8	12.7	405	7,410
Birth Outcome	Preterm	15.5	11.3	19.8	88	1,919
	Low Birth Weight	15.1	10.4	19.7	67	1,470

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Problems with the placenta

The 2010 LAMB Survey asked mothers if they had problems with the placenta (such as abruption placentae or placenta previa) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		4.2	3.5	4.9	269	5,471
Race/Ethnicity	White	5.5	3.9	7.1	78	1,283
	Hispanic	3.4	2.4	4.4	64	2,715
	Black	5.0	3.3	6.6	49	519
	Asian/PI	5.6	4.0	7.2	59	882
Maternal Age	<20 Years old	2.0	1.2	2.9	30	234
	20-24 years old	*3.1	1.5	4.6	31	782
	25-34 years old	4.5	3.4	5.5	133	3,037
	35+ years old	5.4	3.8	7.0	75	1,417
Household Income	<\$20,000	3.9	2.5	5.3	67	1,511
	\$20,000-\$39,999	3.6	2.1	5.2	41	919
	\$40,000-\$59,999	*4.8	2.3	7.2	34	557
	\$60,000-\$99,999	5.5	3.1	7.8	42	768
	\$100,000 and more	4.9	3.4	6.5	51	862
Marital Status	Married	5.0	4.0	6.1	173	3,666
	Never Married-Living together	3.1	1.8	4.4	54	1,161
	Unmarried/Not living with partner	2.9	1.6	4.2	39	566
Education	Less than High School	4.5	2.7	6.3	45	1,417
	High School	3.3	2.0	4.7	47	1,044
	Greater than High School	4.4	3.5	5.4	162	2,928
Birth Outcome	Preterm	11.4	7.6	15.2	63	1,407
	Low Birth Weight	15.9	10.8	20.9	60	1,524


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Urinary tract infections

The 2010 LAMB Survey asked mothers if they had bladder or kidney infections during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		11.8	10.7	13.0	775	15,540
Race/Ethnicity	White	8.6	7.1	10.1	183	2,002
	Hispanic	13.2	11.4	15.0	293	10,587
	Black	15.4	12.8	18.0	164	1,616
	Asian/PI	7.5	5.7	9.2	94	1,179
Maternal Age	<20 Years old	15.9	13.4	18.3	217	1,829
	20-24 years old	15.3	11.9	18.7	132	3,900
	25-34 years old	10.7	9.1	12.3	306	7,267
	35+ years old	9.7	7.4	12.0	120	2,544
Household Income	<\$20,000	16.2	13.6	18.8	274	6,239
	\$20,000-\$39,999	10.1	7.6	12.6	126	2,560
	\$40,000-\$59,999	12.2	8.0	16.4	59	1,427
	\$60,000-\$99,999	8.5	5.7	11.4	72	1,200
	\$100,000 and more	8.3	6.1	10.5	85	1,447
Marital Status	Married	9.2	7.8	10.6	311	6,700
	Never Married-Living together	15.2	12.6	17.8	257	5,683
	Unmarried/Not living with partner	14.1	11.1	17.1	195	2,764
Education	Less than High School	13.6	10.8	16.3	173	4,224
	High School	13.1	10.5	15.7	201	4,129
	Greater than High School	10.5	9.0	12.0	378	6,936
Birth Outcome	Preterm	14.3	9.8	18.7	80	1,741
	Low Birth Weight	12.1	7.9	16.4	60	1,158

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Incompetent cervix

The 2010 LAMB Survey asked mothers if their cervix had to be sewn shut during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		2.7	2.0	3.3	131	3,519
Race/Ethnicity	White	*.9	0.01	1.7	12	200
	Hispanic	3.6	2.6	4.6	76	2,852
	Black	2.8	1.6	4.1	26	296
	Asian/PI	*1.0	.40	1.6	14	160
Maternal Age	<20 Years old	3.0	2.0	4.0	38	343
	20-24 years old	*3.4	1.6	5.2	19	869
	25-34 years old	2.4	1.5	3.3	48	1,643
	35+ years old	*2.5	1.1	3.9	26	663
Household Income	<\$20,000	2.8	1.7	4.0	47	1,085
	\$20,000-\$39,999	*2.7	1.1	4.3	19	687
	\$40,000-\$59,999	*1.7	0.0	3.4	8	201
	\$60,000-\$99,999	*3.0	.7	5.3	11	419
	\$100,000 and more	*0.7	.2	1.2	10	127
Marital Status	Married	2.6	1.7	3.6	55	1,919
	Never Married-Living together	2.9	1.7	4.1	42	1,076
	Unmarried/Not living with partner	*2.3	1.1	3.5	32	444
Education	Less than High School	6.3	4.2	8.4	61	1,954
	High School	*2.5	1.2	3.7	32	775
	Greater than High School	*1.2	.6	1.7	36	770
Birth Outcome	Preterm	*3.8	1.4	6.2	23	457
	Low Birth Weight	*5.6	2.1	9.1	21	530


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Sexually transmitted disease

The 2010 LAMB Survey asked mothers if they had any sexually transmitted diseases during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		2.5	1.9	3.0	211	3,245
Race/Ethnicity	White	1.9	1.2	2.7	40	444
	Hispanic	2.5	1.7	3.3	70	2,004
	Black	4.9	3.5	6.4	67	518
	Asian/PI	1.5	1.0	2.1	21	235
Maternal Age	<20 Years old	5.7	4.4	7.0	84	656
	20-24 years old	3.8	2.1	5.5	42	965
	25-34 years old	2.0	1.2	2.7	62	1,324
	35+ years old	*1.1	.6	1.7	23	300
Household Income	<\$20,000	3.9	2.6	5.1	101	1,489
	\$20,000-\$39,999	*1.4	.4	2.4	19	359
	\$40,000-\$59,999	*1.5	0	3.0	8	174
	\$60,000-\$99,999	*1.4	.6	2.3	15	199
	\$100,000 and more	*.7	.2	1.1	12	116
Marital Status	Married	1.3	.8	1.9	49	972
	Never Married-Living together	3.0	1.9	4.2	68	1,139
	Unmarried/Not living with partner	5.6	3.8	7.4	91	1,102
Education	Less than High School	4.1	2.5	5.8	58	1,286
	High School	2.2	1.4	3.0	64	689
	Greater than High School	1.8	1.2	2.4	81	1,203
Birth Outcome	Preterm	*2.4	.5	4.3	20	289
	Low Birth Weight	*2.9	.9	4.9	20	275


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Bacterial vaginosis

The 2010 LAMB Survey asked mothers if they had bacterial vaginosis (vaginal infection caused by bacteria) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		14.9	13.5	16.2	915	19,468
Race/Ethnicity	White	7.3	5.9	8.8	149	1,711
	Hispanic	17.1	15.1	19.1	359	13,678
	Black	19.7	16.9	22.5	218	2,072
	Asian/PI	11.6	9.5	13.7	142	1,838
Maternal Age	<20 Years old	19.5	17.1	21.8	267	2,247
	20-24 years old	19.9	16.1	23.6	164	5,045
	25-34 years old	14.1	12.2	16.0	364	9,560
	35+ years old	10.0	7.6	12.3	120	2,616
Household Income	<\$20,000	20.7	17.8	23.6	362	7,970
	\$20,000-\$39,999	15.0	11.8	18.2	140	3,782
	\$40,000-\$59,999	15.2	10.6	19.8	80	1,774
	\$60,000-\$99,999	8.3	5.8	10.9	72	1,172
	\$100,000 and more	5.4	3.9	6.9	67	947
Marital Status	Married	11.9	10.2	13.5	344	8,608
	Never Married-Living together	18.1	15.4	20.8	305	6,770
	Unmarried/Not living with partner	19.9	16.4	23.4	260	3,900
Education	Less than High School	17.4	14.3	20.5	210	5,424
	High School	19.3	16.2	22.5	265	6,064
	Greater than High School	11.6	10.1	13.1	417	7,642
Birth Outcome	Preterm	16.0	11.2	20.8	73	1,939
	Low Birth Weight	12.0	7.8	16.2	56	1,141

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Periodontal Disease

The 2010 LAMB Survey asked mothers if they had problems with their teeth or gums during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		17.4	16.0	18.9	1,003	22,885
Race/Ethnicity	White	12.4	10.5	14.2	230	2,881
	Hispanic	19.9	17.7	22.0	373	15,895
	Black	18.3	15.5	21.0	197	1,920
	Asian/PI	12.7	10.5	14.8	158	2,003
Maternal Age	<20 Years old	14.6	12.4	16.7	202	1,679
	20-24 years old	24.0	20.0	28.0	182	6,107
	25-34 years old	15.9	13.9	17.8	440	10,782
	35+ years old	16.4	13.4	19.4	179	4,316
Household Income	<\$20,000	22.6	19.6	25.6	365	8,731
	\$20,000-\$39,999	16.8	13.5	20.1	165	4,246
	\$40,000-\$59,999	22.6	17.1	28.2	95	2,650
	\$60,000-\$99,999	7.4	5.3	9.6	80	1,043
	\$100,000 and more	9.1	7.0	11.2	104	1,591
Marital Status	Married	14.2	12.5	16.0	448	10,321
	Never Married-Living together	22.6	19.6	25.7	329	8,472
	Unmarried/Not living with partner	19.4	15.9	23.0	216	3,814
Education	Less than High School	23.3	19.8	26.8	229	7,258
	High School	19.4	16.3	22.6	254	6,105
	Greater than High School	13.8	12.2	15.5	494	9,110
Birth Outcome	Preterm	14.1	9.9	18.2	79	1,725
	Low Birth Weight	15.1	10.5	19.7	71	1,440

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.