


Medical Conditions During Pregnancy: Labor pain 3 weeks before due date

The LAMB Survey asked mothers if they had labor that began too soon (labor pains more than 3 weeks before their baby was due).

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Labor pain 3 weeks before due date			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		15.0	13.6-16.4	934	19,323
Race/Ethnicity	White	12.5	10.3-14.7	185	2,882
	Latino	17.1	15.0-19.2	385	12,666
	African American	18.3	15.7-20.9	204	1,784
	Asian/Pacific Islander	8.9	6.1-11.7	102	1,719
Age at Delivery	< 20 Years	15.9	13.4-18.3	171	1,404
	20-24	16.2	12.9-19.4	151	3,927
	25-34	14.7	12.7-16.7	429	9,645
	35+ Years	14.5	11.5-17.5	183	4,347
Years of Education at Delivery	Less than high school	20.9	17.0-24.8	211	5,648
	Completed high school	15.1	12.3-17.9	216	4,530
	Some college	15.6	12.8-18.4	240	4,844
	Completed college or beyond	10.2	8.4-12.0	207	3,732
2011 Household Income	<\$20,000	17.7	15.4-20.1	359	7,347
	\$20,000-\$39,999	16.2	13.0-19.5	168	4,194
	\$40,000-\$59,999	11.5	7.9-15.1	69	1,176
	\$60,000-\$99,999	11.7	8.4-15.0	81	1,595
	\$>\$100,000	11.0	8.2-13.7	115	1,998
Marital Status at Delivery	Married	12.8	11.1-14.4	405	8,956
	Never Married/Living Together	16.2	13.4-19.1	290	6,144
	Unmarried/Not Living with Partner	20.1	16.5-23.6	227	3,853

Missing and unknown categories are excluded from the analyses.


*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: High blood pressure

The LAMB Survey asked mothers if they had high blood pressure (such as high blood pressure caused by pregnancy, preeclampsia, or toxemia) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics


		High blood pressure			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		9.7	8.7-10.7	750	12,501
Race/Ethnicity	White	9.7	7.8-11.6	152	2,237
	Latino	9.7	8.2-11.2	240	7,157
	African American	19.7	16.8-22.6	210	1,932
	Asian/Pacific Islander	4.8	3.2-6.3	86	919
Age at Delivery	< 20 Years	13.5	11.2-15.7	157	1,188
	20-24	11.1	8.5-13.6	120	2,703
	25-34	8.4	7.1-9.7	306	5,496
	35+ Years	10.4	8.1-12.8	167	3,113
Years of Education at Delivery	Less than high school	9.6	7.4-11.7	139	2,589
	Completed high school	11.5	9.1-13.8	195	3,421
	Some college	10.5	8.3-12.7	195	3,250
	Completed college or beyond	7.8	6.2-9.4	168	2,863
2011 Household Income	<\$20,000	10.9	9.1-12.7	284	4,508
	\$20,000-\$39,999	10.5	7.9-13.1	115	2,700
	\$40,000-\$59,999	10.3	6.7-13.9	65	1,052
	\$60,000-\$99,999	8.7	6.3-11.1	85	1,187
	\$>\$100,000	7.6	5.3-9.9	79	1,382
Marital Status at Delivery	Married	7.7	6.5-8.9	300	5,385
	Never Married/Living Together	11.9	9.8-14.0	250	4,489
	Unmarried/Not Living with Partner	13.3	10.7-15.9	189	2,542

Missing and unknown categories are excluded from the analyses.
 *Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Gestational diabetes

The LAMB Survey asked mothers if they had high blood sugar (gestational diabetes) that started during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics


		Gestational diabetes			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		11.8	10.6-12.9	710	15,125
Race/Ethnicity	White	8.0	6.2-9.7	123	1,846
	Latino	12.4	10.7-14.1	240	9,183
	African American	10.5	8.2-12.9	107	1,031
	Asian/Pacific Islander	14.8	11.0-18.6	196	2,858
Age at Delivery	< 20 Years	3.9	2.7-5.1	51	346
	20-24	7.0	4.7-9.3	58	1,713
	25-34	11.5	9.9-13.0	355	7,512
	35+ Years	18.6	15.2-22.0	246	5,553
Years of Education at Delivery	Less than high school	12.8	10.0-15.6	110	3,459
	Completed high school	11.5	9.0-14.0	139	3,447
	Some college	12.1	9.7-14.6	186	3,775
	Completed college or beyond	11.3	9.4-13.2	234	4,135
2011 Household Income	<\$20,000	12.8	10.7-14.9	211	5,307
	\$20,000-\$39,999	11.9	9.2-14.6	136	3,086
	\$40,000-\$59,999	14.7	10.5-19.0	72	1,505
	\$60,000-\$99,999	12.4	9.2-15.6	94	1,690
	\$>\$100,000	9.0	6.6-11.4	106	1,650
Marital Status at Delivery	Married	13.1	11.4-14.8	428	9,160
	Never Married/Living Together	9.6	7.6-11.5	162	3,620
	Unmarried/Not Living with Partner	9.8	7.3-12.4	107	1,886

Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Problems with the placenta

The LAMB Survey asked mothers if they had problems with the placenta (such as abruption placentae or placenta previa) during their pregnancy.
A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Problems with the placenta			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		4.8	4.1-5.5	319	6,194
Race/Ethnicity	White	6.4	4.9-8.0	90	1,485
	Latino	4.7	3.7-5.8	114	3,496
	African American	3.6	2.5-4.8	45	351
	Asian/Pacific Islander	3.9	2.3-5.4	48	745
Age at Delivery	< 20 Years	4.2	2.8-5.6	43	371
	20-24	3.4	1.9-4.9	36	833
	25-34	5.1	4.0-6.2	153	3,338
	35+ Years	5.5	4.0-7.1	87	1,651
Years of Education at Delivery	Less than high school	4.4	2.8-6.0	43	1,182
	Completed high school	4.6	3.1-6.2	65	1,376
	Some college	5.0	3.4-6.6	82	1,552
	Completed college or beyond	5.2	4.0-6.4	104	1,904
2011 Household Income	<\$20,000	4.6	3.3-5.9	88	1,914
	\$20,000-\$39,999	5.4	3.6-7.3	62	1,405
	\$40,000-\$59,999	*4.7	2.0-7.4	28	480
	\$60,000-\$99,999	4.6	2.8-6.3	37	622
	\$>\$100,000	6.5	4.5-8.5	68	1,196
Marital Status at Delivery	Married	5.2	4.2-6.2	184	3,644
	Never Married/Living Together	4.4	3.0-5.7	76	1,645
	Unmarried/Not Living with Partner	4.6	3.0-6.3	56	884


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Urinary tract infections

The LAMB Survey asked mothers if they had bladder or kidney infections during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Urinary tract infections			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		13.2	11.8-14.5	846	16,915
Race/Ethnicity	White	10.5	8.6-12.4	178	2,435
	Latino	16.3	14.2-18.3	385	11,980
	African American	13.4	11.1-15.7	148	1,296
	Asian/Pacific Islander	5.1	3.5-6.8	88	986
Age at Delivery	< 20 Years	17.1	14.6-19.6	192	1,506
	20-24	15.9	12.8-19.0	159	3,851
	25-34	13.3	11.2-15.4	366	8,714
	35+ Years	9.5	7.3-11.8	129	2,845
Years of Education at Delivery	Less than high school	19.8	15.7-24.0	204	5,339
	Completed high school	14.3	11.5-17.1	205	4,251
	Some college	12.4	10.0-14.8	214	3,846
	Completed college or beyond	8.3	6.7-10.0	180	3,049
2011 Household Income	<\$20,000	17.5	14.9-20.2	330	7,249
	\$20,000-\$39,999	12.2	9.5-15.0	145	3,156
	\$40,000-\$59,999	12.4	8.5-16.2	75	1,262
	\$60,000-\$99,999	7.7	5.1-10.3	62	1,049
	\$>\$100,000	7.8	5.6-10.0	94	1,422
Marital Status at Delivery	Married	9.8	8.3-11.2	332	6,826
	Never Married/Living Together	17.7	14.6-20.9	301	6,709
	Unmarried/Not Living with Partner	16.9	13.7-20.1	203	3,219


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Incompetent cervix

The LAMB Survey asked mothers if their cervix had to be sewn shut during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Incompetent cervix			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		2.2	1.7-2.7	129	2,766
Race/Ethnicity	White	*0.7	0.2-1.2	12	169
	Latino	3.0	2.2-3.9	78	2,221
	African American	2.0	1.2-2.9	26	197
	Asian/Pacific Islander	*0.8	0.1-1.6	8	160
Age at Delivery	< 20 Years	2.6	1.6-3.7	31	233
	20-24	*3.1	1.5-4.7	24	750
	25-34	1.8	1.2-2.5	45	1,193
	35+ Years	2.0	1.1-2.9	29	591
Years of Education at Delivery	Less than high school	4.0	2.5-5.5	48	1,062
	Completed high school	3.0	1.7-4.4	31	902
	Some college	*1.4	0.6-2.1	29	423
	Completed college or beyond	*8	0.3-1.3	16	300
2011 Household Income	<\$20,000	2.7	1.7-3.6	56	1,096
	\$20,000-\$39,999	*2.3	1.1-3.6	20	602
	\$40,000-\$59,999	*1.3	0.0-2.7	7	132
	\$60,000-\$99,999	*1.4	0.2-2.6	9	190
	\$>\$100,000	*0.5	0.1-0.9	8	96
Marital Status at Delivery	Married	1.7	1.1-2.3	48	1,204
	Never Married/Living Together	2.5	1.5-3.6	42	949
	Unmarried/Not Living with Partner	*2.9	1.4-4.4	35	550


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Sexually transmitted disease

The LAMB Survey asked mothers if they had any sexually transmitted diseases during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Sexually transmitted disease			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		3.5	2.6-4.4	218	4,462
Race/Ethnicity	White	1.3	0.8-1.9	28	311
	Latino	4.4	2.8-6.0	88	3,244
	African American	5.9	4.3-7.4	74	568
	Asian/Pacific Islander	*1.5	0.5-2.5	15	280
Age at Delivery	< 20 Years	4.2	3.0-5.4	56	370
	20-24	4.6	2.9-6.4	52	1,123
	25-34	3.6	2.0-5.3	86	2,382
	35+ Years	*2.0	1.0-3.0	24	587
Years of Education at Delivery	Less than high school	*7.3	3.6-11.1	65	1,975
	Completed high school	3.1	2.0-4.3	57	933
	Some college	3.1	1.9-4.4	55	968
	Completed college or beyond	1.2	0.7-1.8	29	455
2011 Household Income	<\$20,000	5.4	3.6-7.3	111	2,236
	\$20,000-\$39,999	*2.5	1.2-3.8	28	643
	\$40,000-\$59,999	*1.7	0.0-3.6	12	179
	\$60,000-\$99,999	*0.9	0.0-1.8	9	123
	\$>\$100,000	*0.8	0.3-1.3	12	144
Marital Status at Delivery	Married	1.3	0.8-1.9	45	925
	Never Married/Living Together	6.2	3.4-9.0	79	2,338
	Unmarried/Not Living with Partner	5.9	4.1-7.6	86	1,119


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Bacterial vaginosis

The LAMB Survey asked mothers if they had bacterial vaginosis (vaginal infection caused by bacteria) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Bacterial vaginosis			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		10.8	9.7-11.8	810	13,772
Race/Ethnicity	White	6.6	5.2-8.1	122	1,531
	Latino	11.9	10.3-13.4	330	8,734
	African American	17.2	14.7-19.7	189	1,664
	Asian/Pacific Islander	8.4	5.9-10.9	116	1,624
Age at Delivery	< 20 Years	18.8	16.1-21.4	199	1,656
	20-24	14.0	11.2-16.9	156	3,408
	25-34	9.7	8.3-11.1	330	6,310
	35+ Years	8.1	6.1-10.0	125	2,398
Years of Education at Delivery	Less than high school	12.9	10.4-15.3	177	3,432
	Completed high school	10.3	8.1-12.4	188	3,046
	Some college	13.6	11.0-16.1	229	4,212
	Completed college or beyond	6.9	5.4-8.3	153	2,520
2011 Household Income	<\$20,000	13.8	11.8-15.8	326	5,669
	\$20,000-\$39,999	11.5	8.9-14.0	142	2,939
	\$40,000-\$59,999	9.5	6.1-12.9	64	965
	\$60,000-\$99,999	7.4	5.1-9.7	72	1,013
	\$>\$100,000	5.7	3.7-7.7	60	1,045
Marital Status at Delivery	Married	8.9	7.5-10.2	306	6,212
	Never Married/Living Together	12.2	10.2-14.2	275	4,580
	Unmarried/Not Living with Partner	14.9	12.1-17.6	217	2,832


Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Periodontal Disease

The LAMB Survey asked mothers if they had problems with their teeth or gums during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics

		Periodontal Disease			
Maternal Demographics	Category	%	95% Confidence Interval	Survey Respondents	Estimated County Total
Countywide		16.7	15.2-18.1	1,078	21,338
Race/Ethnicity	White	13.3	11.1-15.5	203	3,064
	Latino	18.6	16.6-20.7	401	13,734
	African American	23.5	20.6-26.5	246	2,282
	Asian/Pacific Islander	9.5	6.8-12.2	140	1,832
Age at Delivery	< 20 Years	12.6	10.4-14.8	144	1,115
	20-24	19.8	16.4-23.2	206	4,810
	25-34	17.0	15.0-19.0	518	11,101
	35+ Years	14.5	11.6-17.3	210	4,312
Years of Education at Delivery	Less than high school	21.0	17.3-24.6	217	5,613
	Completed high school	18.8	15.6-21.9	248	5,581
	Some college	17.6	14.7-20.5	301	5,477
	Completed college or beyond	11.3	9.4-13.3	236	4,143
2011 Household Income	<\$20,000	23.8	21.0-26.7	464	9,816
	\$20,000-\$39,999	17.7	14.4-21.0	208	4,571
	\$40,000-\$59,999	13.0	9.0-17.0	77	1,329
	\$60,000-\$99,999	9.7	6.9-12.6	80	1,329
	\$>\$100,000	8.6	6.2-10.9	96	1,559
Marital Status at Delivery	Married	13.5	11.8-15.2	465	9,435
	Never Married/Living Together	19.8	16.9-22.6	341	7,455
	Unmarried/Not Living with Partner	20.9	17.3-24.4	254	3,986

Missing and unknown categories are excluded from the analyses.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.