Summary of Los Angeles County Department of Public Health (LAC DPH) COVID-19 Related Surveillance

Updated: 09-30-2022 MMWR Week: 38 Ending on: 09-24-2022 To subscribe to LAC DPH Viral Respiratory Illness Surveillance Updates email "Subscribe" to fluwatch@listserv.ph.lacounty.gov

COVID-19 At a Glance

Virology **Activity** Severity

4.7% of specimens tested at Los Angeles sentinel surveillance laboratories* in week 38 were positive for SARS-CoV-2, which is less than in week 37.

Of specimens sequenced in week 36** **100%** were Omicron. Omicron subvariant BA.4.6 was **3.0%** of sequenced specimens, which is *less than* during the previous week.

In week 38, 4.0% of ED visits were for COVID-19, which is less than in week 37.

Visits for influenza-like illness accounted for 3.4% of emergency department visits in week 38, which is more than in week 37.

COVID-19 was reported as a cause for 2% of deaths registered in LAC during week 37.

Pneumonia, influenza, and COVID-19 accounted for 10% of all deaths registered LAC during week 37 which is *less than* in week 36.

LAC DPH prepares this newsletter to summarize current COVID-19 and respiratory illness surveillance data in Los Angeles County. Because the COVID-19 pandemic is evolving rapidly, our methods, systems, and data are being added and revised constantly.

Weekly surveillance data are preliminary and subject to change.

Daily counts of cases and deaths are available on the LAC DPH website at http://dashboard.publichealth.lacounty.gov/covid19 surveillance dashboard/.



See indicator specific sections for associated methods.

^{**} Whole Genome Sequencing results are lagged.

^{*} LAC DPH surveillance data excludes the cities of Long Beach and Pasadena.

The respiratory virus surveillance period starts with MMWR week 40 and runs through week 39 of the following year. The 2021-22 season started on Oct 3, 2021.

Virologic Surveillance

Viral surveillance data is provided by clinical laboratories serving hospitals and healthcare networks across Los Angeles County. Participating laboratories provide the number of positive tests and total number of specimens tested for SARS-CoV2, influenza and respiratory syncytial virus. Data reported from viral surveillance laboratories will differ from the <u>overall county testing data</u> because of differences in the population tested, types of tests used, and changes in the number of laboratories conducting testing over time.

12,000 16% 14% 10,000 12% 8.000 Specimens tested 10% Percent positive 6,000 8% 6% 4,000 4% 2.000 2% 4123122 8/6/22 **Week Ending WWW** Negative Positive Percent Positive

Figure 1. Respiratory Specimens Tested and Percent Positive for SARS-CoV-2 Reported by Select LAC Area Laboratories by Week of Specimen Collection





Figure 3. Percentage of Respiratory Specimens Testing Positive by Viral Etiology, Los Angeles County Sentinel Surveillance Labs 2021-2022



SARS-CoV-2 Genomic Surveillance

To track the circulation of SARS-CoV-2 <u>variants</u> in Los Angeles County, DPH receives whole genome sequencing results for specimens collected from Los Angeles County residents. Data presented here come from the LAC DPH Public Health Laboratory, clinical, commercial, and academic laboratory partners. The proportion of cases sequenced varies over time; generally sequencing results are available for 20%-30% of cases. Whole genome sequencing data has a reporting lag time of 2-3 weeks.

100% 90% 80% 70% Percent of sequenced specimens 60% 50% 40% 30% 20% 10% 0% 6/25/2022 7/2/2022 7/9/2022 7/16/20227/23/20227/30/2022 8/6/2022 8/13/20228/20/20228/27/2022 9/3/2022 9/10/2022 Week ending ■ All other Omicron Omicron BA.2 (Excludes BA.2.12.1 and BA.2.75) Omicron BA.2.12.1 ■ Omicron BA.2.75 ■ Omicron BA.4 (Excludes BA.4.6) Omicron BA.4.6 ■ BF.7 ■ Omicron BA.5 (Excludes BF.7)

Figure 4. Variants of Concern as a percentage of all specimens sequenced for baseline surveillance in the past 12 weeks, by specimen collection date



^{*}Includes descendant lineages

Activity

Los Angeles County Emergency Department (ED) Influenza-Like Illness (ILI) and COVID-19 Visits

Public Health's Syndromic Surveillance Project monitors initial self-reported symptoms from patients presenting to participating emergency departments throughout LAC. These symptoms are categorized into different clinical syndromes according to specific code words. Visits are included in the COVID-19 category if the chief complaint field includes any mention of "COVID", "Coronavirus" or similar key words. The syndrome of ILI is defined as mention of influenza; or fever (subjective or measured greater than 100°F) plus cough or sore throat. The ILI and COVID-19 classified ED visits for all ages and by age group are analyzed weekly and year-round. The COVID-19 and ILI categories are not mutually exclusive.

Figure 5. Emergency Department Visits for Influenza-like Illness and COVID-19 per MMWR week, Los Angeles County, 2020-21 Influenza Season




Figure 6. Emergency Department Visits for COVID-19 by Age Category per MMWR week,
Los Angeles County, October 2020 Through Present




Figure 7. Emergency Department Visits for Influenza-like Illness by Age Groups per MMWR
Week, Los Angeles County, October 2020 through Present





Figure 8. Emergency Department Visits for Influenza-like Illness, per 1,000, Los Angeles
County 2017-18 through 2020-21 Influenza Seasons



Acute Communicable Disease Control Program Syndromic Surveillance Unit

Severity

Pneumonia, Influenza and COVID-19 Mortality

Each week, the Office of Health Assessment and Epidemiology at LAC DPH reports the total number of death certificates received and the number of those for which pneumonia, influenza, or COVID-19 (PIC) was listed as the underlying or contributing cause of death by age group.





Figure 10. Pneumonia, Influenza, and COVID-19 Mortality Los Angeles County*

Data through September 16, 2022, as of September 29, 2022



*excluding Long Beach and Pasadena

Technical note: The number of deaths reported in recent weeks does not represent all deaths that occurred in the reporting period. Data may be incomplete due to a lag between when the death occurred and when the death was registered. Previous weeks counts or percentages may change as vital records are updated with lagged death certificates. The count includes all certificates of deaths (excludes fetal deaths) occurring in the County of Los Angeles (excluding Long Beach and Pasadena) regardless of the residence of the deceased.



Angelenos in Action

Weekly Symptom Survey

<u>Angelenos In Action</u> is a voluntary text-based public health survey that collects information to monitor COVID-19 symptoms across LA County in real time. Volunteers across LA County provide information on their health as part of a weekly SMS survey. Respondents are assigned to a random day, and then texted once per week about their symptoms. Rates are then calculated weekly.

40 35 30 Rate per 1,000 respondents 20 10 5 Jan Josan 22 lan 30 febrs April 10 April 16 -(eb)¹³Feb)¹⁹ Feb 21 Mars April 2ª April 30 war 27 April 2 Nat 13:Nat 19 May Senay La Wax 55 Wax 58 **Week of Survey Response** Cough or Shortness of Breath (SOB) 2+ of fever, chills, headache, body aches, sore throat, loss of taste/smell Cough/SOB & 2+ other symptoms

Figure 11. Symptoms Reported by Angelenos in Action Respondents by Week of Survey Response

